antibodies -online.com





FASL Protein (AA 130-281) (rho-1D4 tag)





Go to Product page

| \sim | | | | | |
|--------|----|----|----|-------------|---|
| () | VE | ۲۱ | /1 | \triangle | Λ |

| 3 (3 () 3 (| | |
|---|--|--|
| Quantity: | 1 mg | |
| Target: | FASL | |
| Protein Characteristics: | AA 130-281 | |
| Origin: | Human | |
| Source: | Insect Cells | |
| Protein Type: | Recombinant | |
| Purification tag / Conjugate: | This FASL protein is labelled with rho-1D4 tag. | |
| Application: | SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys) | |
| Product Details | | |
| Sequence: | QIGHPSPPPE KKELRKVAHL TGKSNSRSMP LEWEDTYGIV LLSGVKYKKG GLVINETGLY | |
| | FVYSKVYFRG QSCNNLPLSH KVYMRNSKYP QDLVMMEGKM MSYCTTGQMW ARSSYLGAVF | |
| | NLTSADHLYV NVSELSLVNF EESQTFFGLY KL | |
| | Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a | |
| | special request, please contact us. | |
| Characteristics: | Made in Germany - from design to production - by highly experienced protein experts. Human FASLG Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. | |
| | State-of-the-art algorithm used for plasmid design (Gene synthesis). | |
| | This protein is a made to order protein and will be made for the first time for your order. Our | |
| | experts in the lab will ensure that you receive a correctly folded protein. | |
| | | |

made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin-free.

Grade:

Crystallography grade

Target Details

| Target: | FASL | |
|-------------------|---|--|
| Alternative Name: | FASLG (FASL Products) | |
| Background: | Cytokine that binds to TNFRSF6/FAS, a receptor that transduces the apoptotic signal into cells. | |
| | May be involved in cytotoxic T-cell mediated apoptosis and in T-cell development. | |

| - Target Details | | |
|---------------------|---|--|
| | TNFRSF6/FAS-mediated apoptosis may have a role in the induction of peripheral tolerance, in | |
| | the antigen-stimulated suicide of mature T-cells, or both. Binding to the decoy receptor | |
| | TNFRSF6B/DcR3 modulates its effects. {ECO:0000269 PubMed:17557115}., The FasL | |
| | intracellular domain (FasL ICD) cytoplasmic form induces gene transcription inhibition. | |
| | {ECO:0000269 PubMed:17557115}. | |
| Molecular Weight: | 18.5 kDa Including tag. | |
| UniProt: | P48023 | |
| Pathways: | Apoptosis, EGFR Signaling Pathway, Production of Molecular Mediator of Immune Response, | |
| | Positive Regulation of Endopeptidase Activity | |
| Application Details | | |
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies | |
| Application Notice. | as well. As the protein has not been tested for functional studies yet we cannot offer a | |
| | guarantee though. | |
| Comment: | In cases in which it is highly likely that the recombinant protein with the default tag will be | |
| Comment. | | |
| | insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to | |
| | increase solubility. We will discuss all possible options with you in detail to assure that you | |
| | receive your protein of interest. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer | |
| Handling Advice: | Avoid repeated freeze-thaw cycles. | |
| Storage: | -80 °C | |
| Storage Comment: | Store at -80°C. | |
| Expiry Date: | Unlimited (if stored properly) | |
| | | |




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process