

Datasheet for ABIN3098543 PGD Protein (AA 2-483) (His tag)



Overview	
Quantity:	2 mg
Target:	PGD
Protein Characteristics:	AA 2-483
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PGD protein is labelled with His tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys)
Product Details	
Sequence:	AQADIALIGL AVMGQNLILN MNDHGFVVCA FNRTVSKVDD FLANEAKGTK VVGAQSLKEM
	VSKLKKPRRI ILLVKAGQAV DDFIEKLVPL LDTGDIIIDG GNSEYRDTTR RCRDLKAKGI
	LFVGSGVSGG EEGARYGPSL MPGGNKEAWP HIKTIFQGIA AKVGTGEPCC DWVGDEGAGH
	FVKMVHNGIE YGDMQLICEA YHLMKDVLGM AQDEMAQAFE DWNKTELDSF LIEITANILK
	FQDTDGKHLL PKIRDSAGQK GTGKWTAISA LEYGVPVTLI GEAVFARCLS SLKDERIQAS
	KKLKGPQKFQ FDGDKKSFLE DIRKALYASK IISYAQGFML LRQAATEFGW TLNYGGIALM
	WRGGCIIRSV FLGKIKDAFD RNPELQNLLL DDFFKSAVEN CQDSWRRAVS TGVQAGIPMP
	CFTTALSFYD GYRHEMLPAS LIQAQRDYFG AHTYELLAKP GQFIHTNWTG HGGTVSSSSY NA
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Human PGD Protein (raised in Insect Cells) purified by multi-step, protein-specific process to

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3098543 | 08/02/2024 | Copyright antibodies-online. All rights reserved.

Target:	PGD
Target Details	
Grade:	Crystallography grade
Endotoxin Level:	Protein is endotoxin free.
Sterility:	0.22 µm filtered
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Purification:	 Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	specific reference buffer.
	The protein's absorbance will be measured in several dilutions and is measured against its
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	protein experts will do everything to make sure that you receive the protein you ordered.
	folded protein. With no financial risk on your end you can rest assured that our experienced
	When you order this made-to-order protein you will only pay upon receival of the correctly
	experiments or purification optimization).
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	(other companies might charge you for any performed steps in the expression process for
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	cannot be expressed or purified.
	made proteins from other companies is that there is no financial obligation in case the protein
	experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	This protein is a made to order protein and will be made for the first time for your order. Our

Product Details

Alternative Name: PGD (PGD Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3098543 | 08/02/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Catalyzes the oxidative decarboxylation of 6-phosphogluconate to ribulose 5-phosphate and CO(2), with concomitant reduction of NADP to NADPH. {ECO:0000250}.
Molecular Weight:	54.0 kDa Including tag.
UniProt:	P52209
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)