

## Datasheet for ABIN3102794

# SLC41A1 Protein (AA 1-513) (Strep Tag)



#### Go to Product page

_				
( )	ve.	rv/	101	Λ

Quantity:	250 μg
Target:	SLC41A1
Protein Characteristics:	AA 1-513
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC41A1 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)
Product Details	
Brand:	AliCE®
Sequence:	MSSKPEPKDV HQLNGTGPSA SPCSSDGPGR EPLAGTSEFL GPDGAGVEVV IESRANAKGV
	REEDALLENG SQSNESDDVS TDRGPAPPSP LKETSFSIGL QVLFPFLLAG FGTVAAGMVL
	DIVQHWEVFQ KVTEVFILVP ALLGLKGNLE MTLASRLSTA ANIGHMDTPK ELWRMITGNM
	ALIQVQATVV GFLASIAAVV FGWIPDGHFS IPHAFLLCAS SVATAFIASL VLGMIMIGVI IGSRKIGINP
	DNVATPIAAS LGDLITLALL SGISWGLYLE LNHWRYIYPL VCAFFVALLP VWVVLARRSP
	ATREVLYSGW EPVIIAMAIS SVGGLILDKT VSDPNFAGMA VFTPVINGVG GNLVAVQASR
	ISTFLHMNGM PGENSEQAPR RCPSPCTTFF SPDVNSRSAR VLFLLVVPGH LVFLYTISCM
	QGGHTTLTLI FIIFYMTAAL LQVLILLYIA DWMVHWMWGR GLDPDNFSIP YLTALGDLLG
	TGLLALSFHV LWLIGDRDTD VGD
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you

#### have a special request, please contact us.

#### Characteristics:

## Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

## Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

# Target Details

Target:	SLC41A1	
Alternative Name:	SLC41A1 (SLC41A1 Products)	
Background:	Solute carrier family 41 member 1,FUNCTION: Na(+)/Mg(2+) ion exchanger that acts as a	
	predominant Mg(2+) efflux system at the plasma membrane (PubMed:22031603,	
	PubMed:23661805, PubMed:18367447, PubMed:23976986). Transporter activity is driven by	
	the inwardly directed electrochemical gradient for Na(+) ions, thus directly depends on the	
	extracellular Na(+) ion concentration set by Na(+)/K(+) pump (PubMed:22031603,	
	PubMed:23661805). Generates circadian cellular Mg(2+) fluxes that feed back to regulate	
	clock-controlled gene expression and metabolism and facilitate higher energetic demands	
	during the day (PubMed:27074515). Has a role in regulating the activity of ATP-dependent	
	enzymes, including those operating in Krebs cycle and the electron transport chain (By	
	similarity). {ECO:0000250 UniProtKB:Q8BJA2, ECO:0000269 PubMed:18367447,	
	ECO:0000269 PubMed:22031603, ECO:0000269 PubMed:23661805,	
	ECO:0000269 PubMed:23976986, ECO:0000269 PubMed:27074515}.	
Molecular Weight:	54.9 kDa	
UniProt:	Q8IVJ1	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a	
	guarantee though.	
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from	
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce	
	even the most difficult-to-express proteins, including those that require post-translational	
	modifications.	
	During lysate production, the cell wall and other cellular components that are not required for	
	protein production are removed, leaving only the protein production machinery and the	
	mitochondria to drive the reaction. During our lysate completion steps, the additional	
	components needed for protein production (amino acids, cofactors, etc.) are added to produce	
	something that functions like a cell, but without the constraints of a living system - all that's	
	needed is the DNA that codes for the desired protein!	
Restrictions:	For Research Use only	

# Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.  Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months