antibodies .- online.com







ACER1 Protein (AA 1-264) (Strep Tag)



Image



Overview

Quantity:	1 mg
Target:	ACER1
Protein Characteristics:	AA 1-264
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ACER1 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:

MPSIFAYOSS EVDWCESNFQ YSELVAEFYN TFSNIPFFIF GPLMMLLMHP YAQKRSRYIY VVWVLFMIIG LFSMYFHMTL SFLGQLLDEI AILWLLGSGY SIWMPRCYFP SFLGGNRSQF IRLVFITTVV STLLSFLRPT VNAYALNSIA LHILYIVCQE YRKTSNKELR HLIEVSVVLW AVALTSWISD RLLCSFWQRI HFFYLHSIWH VLISITFPYG MVTMALVDAN YEMPGETLKV RYWPRDSWPV GLPYVEIRGD DKDC

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.

- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Product Details Grade: Crystallography grade Target Details Target: ACER1 Alternative Name ACER1 (ACER1 Products) Background: Alkaline ceramidase 1 (AlkCDase 1) (Alkaline CDase 1) (EC 3.5.1.-) (EC 3.5.1.23) (Acylsphingosine deacylase 3) (N-acylsphingosine amidohydrolase 3), FUNCTION: Endoplasmic reticulum ceramidase that catalyzes the hydrolysis of ceramides into sphingosine and free fatty acids at alkaline pH (PubMed:17713573, PubMed:20207939, PubMed:20628055). Ceramides, sphingosine, and its phosphorylated form sphingosine-1-phosphate are bioactive lipids that mediate cellular signaling pathways regulating several biological processes including cell proliferation, apoptosis and differentiation (PubMed:12783875). Exhibits a strong substrate specificity towards the natural stereoisomer of ceramides with D-erythro-sphingosine as a backbone and has a higher activity towards very long-chain unsaturated fatty acids like the C24:1-ceramide (PubMed:17713573, PubMed:20207939). May also hydrolyze dihydroceramides to produce dihydrosphingosine (PubMed:20207939, PubMed:20628055). ACER1 is a skin-specific ceramidase that regulates the levels of ceramides, sphingosine and sphingosine-1-phosphate in the epidermis, mediates the calcium-induced differentiation of epidermal keratinocytes and more generally plays an important role in skin homeostasis (PubMed:17713573). {ECO:0000269|PubMed:17713573, ECO:0000269|PubMed:20207939, ECO:0000269|PubMed:20628055, ECO:0000303|PubMed:12783875}. Molecular Weight: 31.1 kDa UniProt: Q8TDN7 Application Details In addition to the applications listed above we expect the protein to work for functional studies **Application Notes:** as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce

modifications.

even the most difficult-to-express proteins, including those that require post-translational

During lysate production, the cell wall and other cellular components that are not required for

protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process