

Datasheet for ABIN3105438  
**ZDHHC15 Protein (AA 1-337) (Strep Tag)**



[Go to Product page](#)

## Overview

Quantity:	1 mg
Target:	ZDHHC15
Protein Characteristics:	AA 1-337
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ZDHHC15 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

## Product Details

Sequence: MRRGWKMALS GGLRCCRRVL SWVPVLVIVL VVLWSYYAYV FELCLVTVLS PAEKVIYLIL  
YHAIFVFFTW TYWKSIFTLP QPNQKFHLS YTDKERYENE ERPEVQKQML VDMAKKLPVY  
TRTGSGAVRF CDRCHLIKPD RCHHCSVCAM CVLKMDHHCP WVNNCIGFSN YKFFLQFLAY  
SVLYCLYIAT TVFSYFIKYW RGELPSVRSK FHVLFLLFVA CMFFVSLVIL FGYHCWLVS  
NKTTLAFACT PVFTSGPEKN GFNLGFIKNI QQVFGDKKKF WLPIGSSPG DGHSFPMRSM  
NESQNPLLAN EETWEDNEDD NQDYPEGSSS LAVETET

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

Characteristics: Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography

## Product Details

---

- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

---

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).
---------------	--

---

Purity:	> 80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
---------	---

## Target Details

---

Target:	ZDHHC15
---------	---------

---

Alternative Name:	ZDHHC15 ( <a href="#">ZDHHC15 Products</a> )
-------------------	--

---

Background:	Palmitoyltransferase ZDHHC15 (EC 2.3.1.225) (Acyltransferase ZDHHC15) (EC 2.3.1.-) (Zinc
-------------	--

---

## Target Details

---

finger DHHC domain-containing protein 15) (DHHC-15),FUNCTION: Palmitoyltransferase that catalyzes the addition of palmitate onto various protein substrates (PubMed:18817523, PubMed:23034182). Has no stringent fatty acid selectivity and in addition to palmitate can also transfer onto target proteins myristate from tetradecanoyl-CoA and stearate from octadecanoyl-CoA (By similarity). Palmitoylates IGF2R and SORT1, promoting their partitioning to an endosomal membrane subdomain where they can interact with the retromer cargo-selective complex (PubMed:18817523). Thereby, regulates retrograde transport from endosomes to the Golgi apparatus of these lysosomal sorting receptors and plays a role in trafficking of lysosomal proteins (PubMed:18817523). In the nervous system, catalyzes the palmitoylation of DLG4/PSD95 and regulates its synaptic clustering and function in synaptogenesis (By similarity). Could be involved in the differentiation of dopaminergic neurons and the development of the diencephalon (By similarity). Could also catalyze the palmitoylation of GAP43 (By similarity). Could also palmitoylate DNAJC5 and regulate its localization to the Golgi membrane (By similarity). Could also palmitoylate FYN as shown in vitro (PubMed:19956733). {ECO:0000250|UniProtKB:F1QXD3, ECO:0000250|UniProtKB:Q8BGJ0, ECO:0000269|PubMed:18817523, ECO:0000269|PubMed:19956733, ECO:0000269|PubMed:23034182}.

---

Molecular Weight: 39.3 kDa

UniProt: [Q96MV8](#)

## Application Details

---

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

## Application Details

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.  
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months