antibodies -online.com





Datasheet for ABIN3105438

ZDHHC15 Protein (AA 1-337) (Strep Tag)



Overview

Quantity:	1 mg
Target:	ZDHHC15
Protein Characteristics:	AA 1-337
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ZDHHC15 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:

MRRGWKMALS GGLRCCRRVL SWVPVLVIVL VVLWSYYAYV FELCLVTVLS PAEKVIYLIL
YHAIFVFFTW TYWKSIFTLP QQPNQKFHLS YTDKERYENE ERPEVQKQML VDMAKKLPVY
TRTGSGAVRF CDRCHLIKPD RCHHCSVCAM CVLKMDHHCP WVNNCIGFSN YKFFLQFLAY
SVLYCLYIAT TVFSYFIKYW RGELPSVRSK FHVLFLLFVA CMFFVSLVIL FGYHCWLVSR
NKTTLEAFCT PVFTSGPEKN GFNLGFIKNI QQVFGDKKKF WLIPIGSSPG DGHSFPMRSM
NESONPLLAN EETWEDNEDD NODYPEGSSS LAVETET

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure

correct folding and modification.

- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Product Details Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg) Endotoxin Level: Grade: Crystallography grade Target Details Target: 7DHHC15 ZDHHC15 (ZDHHC15 Products) Alternative Name: Background: Palmitoyltransferase ZDHHC15 (EC 2.3.1.225) (Acyltransferase ZDHHC15) (EC 2.3.1.-) (Zinc finger DHHC domain-containing protein 15) (DHHC-15), FUNCTION: Palmitoyltransferase that catalyzes the addition of palmitate onto various protein substrates (PubMed:18817523, PubMed:23034182). Has no stringent fatty acid selectivity and in addition to palmitate can also transfer onto target proteins myristate from tetradecanoyl-CoA and stearate from octadecanoyl-CoA (By similarity). Palmitoylates IGF2R and SORT1, promoting their partitioning to an endosomal membrane subdomain where they can interact with the retromer cargoselective complex (PubMed:18817523). Thereby, regulates retrograde transport from endosomes to the Golgi apparatus of these lysosomal sorting receptors and plays a role in trafficking of lysosomal proteins (PubMed:18817523). In the nervous system, catalyzes the palmitoylation of DLG4/PSD95 and regulates its synaptic clustering and function in synaptogenesis (By similarity). Could be involved in the differentiation of dopaminergic neurons and the development of the diencephalon (By similarity). Could also catalyze the palmitoylation of GAP43 (By similarity). Could also palmitoylate DNAJC5 and regulate its localization to the Golgi membrane (By similarity). Could also palmitoylate FYN as shown in vitro (PubMed:19956733). {ECO:0000250|UniProtKB:F1QXD3, ECO:0000250|UniProtKB:Q8BGJ0, ECO:0000269|PubMed:18817523, ECO:0000269|PubMed:19956733, ECO:0000269|PubMed:23034182}. Molecular Weight: 39.3 kDa UniProt: **Q96MV8 Application Details Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from

Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce

Comment:

Application Details

even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)