

Datasheet for ABIN3106273 ITPA Protein (AA 2-194) (His tag)



Overview	
Quantity:	2 mg
Target:	ITPA
Protein Characteristics:	AA 2-194
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ITPA protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)
Product Details	
Sequence:	AASLVGKKIV FVTGNAKKLE EVVQILGDKF PCTLVAQKID LPEYQGEPDE ISIQKCQEAV
	RQVQGPVLVE DTCLCFNALG GLPGPYIKWF LEKLKPEGLH QLLAGFEDKS AYALCTFALS
	TGDPSQPVRL FRGRTSGRIV APRGCQDFGW DPCFQPDGYE QTYAEMPKAE KNAVSHRFRA
	LLELQEYFGS LAA
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Human ITPA Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3106273 | 08/02/2024 | Copyright antibodies-online. All rights reserved.

	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
	 Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade
Target Details	
Target:	ΙΤΡΑ
Alternative Name	ITPA (ITPA Products)

Alternative Name:	ITPA (ITPA Products)
Background:	Pyrophosphatase that hydrolyzes the non-canonical purine nucleotides inosine triphosphate
	(ITP), deoxyinosine triphosphate (dITP) as well as 2'-deoxy-N-6-hydroxylaminopurine
	triposphate (dHAPTP) and xanthosine 5'-triphosphate (XTP) to their respective monophosphate

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3106273 | 08/02/2024 | Copyright antibodies-online. All rights reserved.

derivatives. The enzyme does not distinguish between the deoxy- and ribose forms. Probably
excludes non-canonical purines from RNA and DNA precursor pools, thus preventing their
incorporation into RNA and DNA and avoiding chromosomal lesions. {ECO:0000255 HAMAP-
Rule:MF_03148, EC0:0000269 PubMed:17090528}.
22.3 kDa Including tag.
Q9BY32
In addition to the applications listed above we expect the protein to work for functional studies
as well. As the protein has not been tested for functional studies yet we cannot offer a
guarantee though.
In cases in which it is highly likely that the recombinant protein with the default tag will be
insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
increase solubility. We will discuss all possible options with you in detail to assure that you
receive your protein of interest.
For Research Use only
Liquid
100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Avoid repeated freeze-thaw cycles.
-80 °C
Store at -80°C.
Unlimited (if stored properly)