

# Datasheet for ABIN3106281 RNF26 Protein (AA 1-433) (Strep Tag)



Go to Product page

$\sim$				
$O_1$	<b>/</b> el	rVI	161	Λ

Quantity:	250 μg
Target:	RNF26
Protein Characteristics:	AA 1-433
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RNF26 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Brand:	AliCE®
Sequence:	MEAVYLVVNG LGLVLDVLTL VLDLNFLLVS SLLASLAWLL AFVYNLPHTV LTSLLHLGRG
	VLLSLLALIE AVVRFTCGGL QALCTLLYSC CSGLESLKLL GHLASHGALR SREILHRGVL
	NVVSSGHALL RQACDICAIA MSLVAYVINS LVNICLIGTQ NLFSLVLALW DAVTGPLWRM
	TDVVAAFLAH ISSSAVAMAI LLWTPCQLAL ELLASAARLL ASFVLVNLTG LVLLACVLAV
	TVTVLHPDFT LRLATQALSQ LHARPSYHRL REDVMRLSRL ALGSEAWRRV WSRSLQLASW
	PNRGGAPGAP QGDPMRVFSV RTRRQDTLPE AGRRSEAEEE EARTIRVTPV RGRERLNEEE
	PPGGQDPWKL LKEQEERKKC VICQDQSKTV LLLPCRHLCL CQACTEILMR HPVYHRNCPL
	CRRGILQTLN VYL
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.

#### Characteristics:

#### Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

## **Target Details**

Target:	RNF26		
Alternative Name:	RNF26 (RNF26 Products)		
Background:	E3 ubiquitin-protein ligase RNF26 (EC 2.3.2.27) (RING finger protein 26),FUNCTION: E3		
	ubiquitin-protein ligase that plays a key role in endosome organization by retaining vesicles in		
	the perinuclear cloud (PubMed:27368102). Acts as a platform for perinuclear positioning of the		
	endosomal system by mediating ubiquitination of SQSTM1 through interaction with the		
	ubiquitin conjugating enzyme UBE2J1 (PubMed:27368102, PubMed:33472082). Ubiquitinated		
	SQSTM1 attracts specific vesicle-associated adapters, forming a molecular bridge that		
	restrains cognate vesicles in the perinuclear region and organizes the endosomal pathway for		
	efficient cargo transport (PubMed:27368102, PubMed:33472082). Also acts as a regulator of		
	type I interferon production in response to viral infection by mediating the formation of 'Lys-11'		
	linked polyubiquitin chains on TMEM173/STING, leading to stabilize TMEM173/STING		
	(PubMed:25254379, PubMed:32614325). Also required to limit type I interferon response by		
	promoting autophagic degradation of IRF3 (PubMed:25254379).		
	{ECO:0000269 PubMed:25254379, ECO:0000269 PubMed:27368102,		
	ECO:0000269 PubMed:32614325, ECO:0000269 PubMed:33472082}.		
Molecular Weight:	47.7 kDa		
UniProt:	Q9BY78		
Application Details			
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies		
	as well. As the protein has not been tested for functional studies yet we cannot offer a		
	guarantee though.		
Comment:			
CONTINUENT.	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from		
oomment.			
oomment.			
Somment.	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce		
Somment.	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational		
oomment.	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.		
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for		
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional		
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the		

## **Application Details**

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.  Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months