

Datasheet for ABIN3108955

POM121C Protein (AA 1-1229) (Strep Tag)



Overview

Quantity:	250 μg
Target:	POM121C
Protein Characteristics:	AA 1-1229
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This POM121C protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details	
Brand:	AliCE®
Sequence:	MSPAAAAAGA GERRRPIASV RDGRGRGCGG PAGAALLGLS LVGLLLYLVP AAAALAWLAV
	GTTAAWWGLS REPRGSRPLS SFVQKARHRR TLFASPPAKS TANGNLLEPR TLLEGPDPAE
	LLLMGSYLGK PGPPQPAPAP EGQDLRNRPG RRPPARPAPR STPPSQPTHR VHHFYPSLPT
	PLLRPSGRPS PRDRGTLPDR FVITPRRRYP IHQTQYSCPG VLPTVCWNGY HKKAVLSPRN
	SRMVCSPVTV RIAPPDRRFS RSAIPEQIIS STLSSPSSNA PDPCAKETVL SALKEKKKKR
	TVEEEDQIFL DGQENKRRRH DSSGSGHSAF EPLVASGVPA SFVPKPGSLK RGLNSQSSDD
	HLNKRSRSSS MSSLTGAYTS GIPSSSRNAI TSSYSSTRGI SQLWKRNGPS SSPFSSPASS
	RSQTPERPAK KIREEELCHH SSSSTPLAAD KESQGEKAAD TTPRKKQNSN SQSTPGSSGQ
	RKRKVQLLPS RRGEQLTLPP PPQLGYSITA EDLDLEKKAS LQWFNQALED KSDAASNSVT
	ETPPTTQPSF TFTLPAAATA SPPTSLLAPS TNPLLESLKK MQTPPSLPPC PESAGAATTE
	ALSPPKTPSL LPPLGLSQSG PPGLLPSPSF DSKPPTTLLG LIPAPSMVPA TDTKAPPTLQ

AETATKPQAT SAPSPAPKQS FLFGTQNTSP SSPAAPAASS ASPMFKPIFT APPKSEKEGL
TPPGPSVSAT APSSSSLPTT TSTTAPTFQP VFSSMGPPAS VPLPAPFFKQ TTTPATAPTT
TAPLFTGLAS ATSAVAPITS ASPSTDSASK PAFGFGINSV SSSSVSTTTS TATAASQPFL
FGAPQASAAS FTPAMGSIFQ FGKPPALPTT TTVTTFSQSL PTAVPTATSS SAADFSGFGS
TLATSAPATS SQPTLTFSNT STPTFNIPFG SSAKSPLPSY PGANPQPAFG AAEGQPPGAA
KPALTPSFGS SFTFGNSAAP APATAPTPAP ASTIKIVPAH VPTPIQPTFG GATHSAFGLK
ATASAFGAPA SSQPAFGGST AVFSFGAATS SGFGATTQTA SSGSSSSVFG STTPSPFTFG
GSAAPAGSGS FGINVATPGS SATTGAFSFG AGQSGSTATS TPFTGGLGQN ALGTTGQSTP
FAFNVGSTTE SKPVFGGTAT PTFGQNTPAP GVGTSGSSLS FGASSAPAQG FVGVGPFGSA
APSFSIGAGS KTPGARQRLQ ARRQHTRKK

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

POM121C

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:

Alternative Name:	POM121C (POM121C Products)
Background:	Nuclear envelope pore membrane protein POM 121C (Nuclear pore membrane protein 121-2) (POM121-2) (Pore membrane protein of 121 kDa C), FUNCTION: Essential component of the nuclear pore complex (NPC). The repeat-containing domain may be involved in anchoring components of the pore complex to the pore membrane. When overexpressed in cells induces the formation of cytoplasmic annulate lamellae (AL). {ECO:0000269 PubMed:17900573}.
Molecular Weight:	125.1 kDa
UniProt:	A8CG34

Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the

Application Details

Expiry Date:

12 months

	mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Format: Buffer:	Liquid The buffer composition is at the discretion of the manufacturer.
	<u> </u>
	The buffer composition is at the discretion of the manufacturer.
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.