

Datasheet for ABIN3109964
ST8SIA3 Protein (AA 1-380) (Strep Tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	ST8SIA3
Protein Characteristics:	AA 1-380
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ST8SIA3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence: MRNCKMARVA SVLGLVMSLV ALLILSLISY VSLKKENIFT TPKYASPGAP RMYMFHAGFR
SQFALKFLDP SFVPITNSLT QELQEKPSKW KFNRTAFLHQ RQEILQHVDV IKNFSLTKNS
VRIGQLMHYD YSSHKYVFSI SNNFRSLLPD VSPIMNKHYN ICAVVGNSGI LTGSQCGQEI
DKSDFVFRCN FAPTEAFQRD VGRKTNLTTF NPSILEKYYN NLLTIQDRNN FFLSLKKLDG
AILWIPAFFH HTSATVTRTL VDFVVEHRGQ LKVQLAWPGN IMQHVNRYYWK NKHLSPKRLS
TGILMYTLAS AICEEIHLYG FWPFGFDPNT REDLPYHYYD KKGTKFTTKW QESHQLPAEF
QLLYRMHGEG LTKLTLSHCA

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics: Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Product Details

Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	ST8SIA3
Alternative Name:	ST8SIA3 (ST8SIA3 Products)
Background:	<p>Alpha-N-acetylneuraminase alpha-2,8-sialyltransferase ST8SIA3 (EC 2.4.3.-) (Alpha-2,8-sialyltransferase 8C) (Alpha-2,8-sialyltransferase III) (Ganglioside GD3 synthase ST8SIA3) (EC 2.4.3.8) (ST8 alpha-N-acetyl-neuraminidase alpha-2,8-sialyltransferase 3) (Sia-a2,3-Gal-b1,4-GlcNAc-R:a2,8-sialyltransferase) (hST8Sia III) (Sialyltransferase 8C) (SIAT8-C) (Sialyltransferase St8Sia III) (ST8SialIII),FUNCTION: Catalyzes the transfer of sialic acid from a CMP-linked sialic acid donor onto a terminal alpha-2,3-, alpha-2,6-, or alpha-2,8-linked sialic acid of an acceptor, such as N-linked oligosaccharides of glycoproteins and glycolipids through alpha-2,8-linkages (PubMed:9826427, PubMed:26192331, PubMed:10766765). Forms oligosialic and polysialic acid on various sialylated N-acetylglucosamine oligosaccharides of glycoproteins, including FETUB N-glycans, alpha-2-HS-glycoprotein (AHSG) and alpha 2,3-sialylated glycosphingolipids, such as alpha 2,3-sialylparagloboside and ganglioside GM3 and to a lesser extent NCAM1 N-glycans (PubMed:9826427, PubMed:10766765). However, it is much more specific to N-linked oligosaccharides of glycoproteins than glycosphingolipids (By similarity). 2,3-sialylparagloboside serves as the best acceptor substrate among the glycolipids (By similarity). alpha-Neu5Ac-(2->8)-alpha-Neu5Ac-(2->3)-beta-D-Gal-(1->4)-6S-D-GlcNAc and monosialyl and disialyl N-acetylglucosamines are the best acceptor substrates among glycoproteins (PubMed:26192331, PubMed:10766765). May play critical role in the striatum by mediating the formation of disialylated and trisialylated terminal glycotopes on N- and O-glycans of specific striatal proteins, regulating their distribution in lipid rafts, affecting their interaction with other binding partners, and subsequently modulating striatal functions (By similarity).</p> <p>{ECO:0000250 UniProtKB:Q64689, ECO:0000269 PubMed:10766765, ECO:0000269 PubMed:26192331, ECO:0000269 PubMed:9826427}.</p>
Molecular Weight:	44.0 kDa
UniProt:	O43173

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process