

Datasheet for ABIN3110228 **EXTL3 Protein (AA 1-919) (Strep Tag)**



Go to Product page

Overview

Quantity:	250 μg
Target:	EXTL3
Protein Characteristics:	AA 1-919
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This EXTL3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Brand:	AliCE®
Sequence:	MTGYTMLRNG GAGNGGQTCM LRWSNRIRLT WLSFTLFVIL VFFPLIAHYY LTTLDEADEA
	GKRIFGPRVG NELCEVKHVL DLCRIRESVS EELLQLEAKR QELNSEIAKL NLKIEACKKS
	IENAKQDLLQ LKNVISQTEH SYKELMAQNQ PKLSLPIRLL PEKDDAGLPP PKATRGCRLH
	NCFDYSRCPL TSGFPVYVYD SDQFVFGSYL DPLVKQAFQA TARANVYVTE NADIACLYVI
	LVGEMQEPVV LRPAELEKQL YSLPHWRTDG HNHVIINLSR KSDTQNLLYN VSTGRAMVAQ
	STFYTVQYRP GFDLVVSPLV HAMSEPNFME IPPQVPVKRK YLFTFQGEKI ESLRSSLQEA
	RSFEEEMEGD PPADYDDRII ATLKAVQDSK LDQVLVEFTC KNQPKPSLPT EWALCGERED
	RLELLKLSTF ALIITPGDPR LVISSGCATR LFEALEVGAV PVVLGEQVQL PYQDMLQWNE
	AALVVPKPRV TEVHFLLRSL SDSDLLAMRR QGRFLWETYF STADSIFNTV LAMIRTRIQI
	PAAPIREEAA AEIPHRSGKA AGTDPNMADN GDLDLGPVET EPPYASPRYL RNFTLTVTDF
	YRSWNCAPGP FHLFPHTPFD PVLPSEAKFL GSGTGFRPIG GGAGGSGKEF QAALGGNVPR

EQFTVVMLTY EREEVLMNSL ERLNGLPYLN KVVVVWNSPK LPSEDLLWPD IGVPIMVVRT EKNSLNNRFL PWNEIETEAI LSIDDDAHLR HDEIMFGFRV WREARDRIVG FPGRYHAWDI PHQSWLYNSN YSCELSMVLT GAAFFHKYYA YLYSYVMPQA IRDMVDEYIN CEDIAMNFLV SHITRKPPIK VTSRWTFRCP GCPQALSHDD SHFHERHKCI NFFVKVYGYM PLLYTQFRVD SVLFKTRLPH DKTKCFKFI

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression
	System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	EXTL3
Alternative Name:	EXTL3 (EXTL3 Products)
Background:	Exostosin-like 3 (EC 2.4.1.223) (EXT-related protein 1) (Glucuronyl-galactosyl-proteoglycan 4-
	alpha-N-acetylglucosaminyltransferase) (Hereditary multiple exostoses gene isolog) (Multiple
	exostosis-like protein 3) (Putative tumor suppressor protein EXTL3),FUNCTION:
	Glycosyltransferase which regulates the biosynthesis of heparan sulfate (HS)
	(PubMed:28132690, PubMed:28148688). Initiates HS synthesis by transferring the first N-
	acetyl-alpha-D-glucosamine (alpha-GlcNAc) residue (GlcNAcT-I activity) to the tetrasaccharide
	linker (GlcA-Gal-Gal-Xyl-)Ser core linker (PubMed:11390981, PubMed:35676258). May also
	transfer alpha-GlcNAc residues during HS elongation (GlcNAcT-II activity) (PubMed:11390981,
	PubMed:35676258). Lacks glucuronyl transferase II (GlcAT-II) activity (PubMed:11390981,
	PubMed:35676258). Important for both skeletal development and hematopoiesis, through the
	formation of HS proteoglycans (HSPGs) (PubMed:28132690, PubMed:28148688,
	PubMed:11390981, PubMed:22727489, PubMed:35676258). Through the synthesis of HS,
	regulates postnatal pancreatic islet maturation and insulin secretion (By similarity).
	{ECO:0000250 UniProtKB:Q9WVL6, ECO:0000269 PubMed:11390981,
	ECO:0000269 PubMed:22727489, ECO:0000269 PubMed:28132690,
	ECO:0000269 PubMed:28148688, ECO:0000269 PubMed:35676258}., FUNCTION: Receptor for
	REG3A, REG3B and REG3G, induces the activation of downstream signaling pathways such as
	PI3K-AKT or RAS-RAF-MEK-ERK signaling pathway (PubMed:22727489, PubMed:34099862,
	PubMed:27830702). Required for the function of REG3A in regulating keratinocyte proliferation
	and differentiation (PubMed:22727489). Required for the inhibition of skin inflammation
	mediated by REGA through the activation of PI3K-AKT-STAT3 pathway (PubMed:27830702).
	Required for the function of REGA and REG3G in glucose tolerance in pancreas
	(PubMed:19158046). Expressed in microglia, is activated by nociceptor-derived REG3G in

response to endotoxins, leading to the inhibition of kynurenine pathway to prevent endotoxic

Target Details

Larget Details	
	death (By similarity). {ECO:0000250 UniProtKB:Q9WVL6, ECO:0000269 PubMed:19158046, ECO:0000269 PubMed:22727489, ECO:0000269 PubMed:27830702, ECO:0000269 PubMed:34099862}.
Molecular Weight:	104.7 kDa
UniProt:	043909
Pathways:	Glycosaminoglycan Metabolic Process, ER-Nucleus Signaling
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
	During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months