

Datasheet for ABIN3110716 RDH16 Protein (AA 1-317) (Strep Tag)



Overview

Quantity:	250 μg
Target:	RDH16
Protein Characteristics:	AA 1-317
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RDH16 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details	
Brand:	AliCE®
Sequence:	MWLYLAVFVG LYYLLHWYRE RQVLSHLRDK YVFITGCDSG FGKLLARQLD ARGLRVLAAC
	LTEKGAEQLR GQTSDRLETV TLDVTKTESV AAAAQWVKEC VRDKGLWGLV NNAGISLPTA
	PNELLTKQDF VTILDVNLLG VIDVTLSLLP LVRRARGRVV NVSSVMGRVS LFGGGYCISK
	YGVEAFSDSL RRELSYFGVK VAMIEPGYFK TAVTSKERFL KSFLEIWDRS SPEVKEAYGE
	KFVADYKKSA EQMEQKCTQD LSLVTNCMEH ALIACHPRTR YSAGWDAKLL YLPMSYMPTF
	LVDAIMYWVS PSPAKAL
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	RDH16

Target Details

Alternative Name:	RDH16 (RDH16 Products)
Background:	Retinol dehydrogenase 16 (EC 1.1.1.105) (EC 1.1.1.209) (EC 1.1.1.315) (EC 1.1.1.53) (Human
	epidermal retinol dehydrogenase) (hRDH-E) (Microsomal NAD(+)-dependent retinol
	dehydrogenase 4) (RoDH-4) (Short chain dehydrogenase/reductase family 9C member 8)
	(Sterol/retinol dehydrogenase),FUNCTION: Oxidoreductase with a preference for NAD. Oxidize:
	all-trans-retinol, 9-cis-retinol, 11-cis-retinol and 13-cis-retinol to the corresponding aldehydes
	(PubMed:10329026, PubMed:12534290, PubMed:9677409). Has higher activity towards CRBP
	bound retinol than with free retinol (PubMed:12534290). Oxidizes also 3-alpha-hydroxysteroids
	Oxidizes androstanediol and androsterone to dihydrotestosterone and androstanedione. Can
	also catalyze the reverse reaction (PubMed:10329026, PubMed:9677409, PubMed:29541409).
	{ECO:0000269 PubMed:10329026, ECO:0000269 PubMed:12534290,
	ECO:0000269 PubMed:29541409, ECO:0000269 PubMed:9677409}.
Molecular Weight:	35.7 kDa
UniProt:	075452
Pathways:	Steroid Hormone Biosynthesis
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's
	components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	something that functions like a cell, but without the constraints of a living system - all that's

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months