

Datasheet for ABIN3111257 SGPL1 Protein (AA 1-568) (Strep Tag)



_					
	W	0	rv	10	W

Quantity:	250 μg
Target:	SGPL1
Protein Characteristics:	AA 1-568
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SGPL1 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA
Product Details	
Brand:	AliCE®
Sequence:	MPSTDLLMLK AFEPYLEILE VYSTKAKNYV NGHCTKYEPW QLIAWSVVWT LLIVWGYEFV
	FQPESLWSRF KKKCFKLTRK MPIIGRKIQD KLNKTKDDIS KNMSFLKVDK EYVKALPSQG
	LSSSAVLEKL KEYSSMDAFW QEGRASGTVY SGEEKLTELL VKAYGDFAWS NPLHPDIFPG
	LRKIEAEIVR IACSLFNGGP DSCGCVTSGG TESILMACKA YRDLAFEKGI KTPEIVAPQS
	AHAAFNKAAS YFGMKIVRVP LTKMMEVDVR AMRRAISRNT AMLVCSTPQF PHGVIDPVPE
	VAKLAVKYKI PLHVDACLGG FLIVFMEKAG YPLEHPFDFR VKGVTSISAD THKYGYAPKG
	SSLVLYSDKK YRNYQFFVDT DWQGGIYASP TIAGSRPGGI SAACWAALMH FGENGYVEAT
	KQIIKTARFL KSELENIKGI FVFGNPQLSV IALGSRDFDI YRLSNLMTAK GWNLNQLQFP
	PSIHFCITLL HARKRVAIQF LKDIRESVTQ IMKNPKAKTT GMGAIYGMAQ TTVDRNMVAE
	LSSVFLDSLY STDTVTQGSQ MNGSPKPH
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression

system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	SGPL1	
Alternative Name:	SGPL1 (SGPL1 Products)	
Background:	Sphingosine-1-phosphate lyase 1 (S1PL) (SP-lyase 1) (SPL 1) (hSPL) (EC 4.1.2.27)	
	(Sphingosine-1-phosphate aldolase),FUNCTION: Cleaves phosphorylated sphingoid bases	
	(PSBs), such as sphingosine-1-phosphate, into fatty aldehydes and phosphoethanolamine.	
	Elevates stress-induced ceramide production and apoptosis (PubMed:11018465,	
	PubMed:14570870, PubMed:24809814, PubMed:28165339). Required for global lipid	
	homeostasis in liver and cholesterol homeostasis in fibroblasts. Involved in the regulation of	
	pro-inflammatory response and neutrophil trafficking. Modulates neuronal autophagy via	
	phosphoethanolamine production which regulates accumulation of aggregate-prone proteins	
	such as APP (By similarity). Seems to play a role in establishing neuronal contact sites and	
	axonal maintenance (By similarity). {ECO:0000250 UniProtKB:Q8R0X7,	
	ECO:0000250 UniProtKB:Q9V7Y2, ECO:0000269 PubMed:11018465,	
	ECO:0000269 PubMed:14570870, ECO:0000269 PubMed:24809814,	
	ECO:0000269 PubMed:28165339}.	
Molecular Weight:	63.5 kDa	
UniProt:	095470	
Pathways:	Platelet-derived growth Factor Receptor Signaling	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a	
	guarantee though.	
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from	
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce	
	even the most difficult-to-express proteins, including those that require post-translational	
	modifications.	
	During lysate production, the cell wall and other cellular components that are not required for	
	protein production are removed, leaving only the protein production machinery and the	
	mitochondria to drive the reaction. During our lysate completion steps, the additional	
	components needed for protein production (amino acids, cofactors, etc.) are added to produce	
	something that functions like a cell, but without the constraints of a living system - all that's	
	needed is the DNA that codes for the desired protein!	

Application Details

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months