antibodies .- online.com





LDLR Protein (AA 22-860) (rho-1D4 tag)





Go to Product page

Overview

| Quantity: | 1 mg |
|-------------------------------|--|
| Target: | LDLR |
| Protein Characteristics: | AA 22-860 |
| Origin: | Human |
| Source: | Insect Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This LDLR protein is labelled with rho-1D4 tag. |
| Application: | Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys) |

Product Details

Sequence:

AVGDRCERNE FQCQDGKCIS YKWVCDGSAE CQDGSDESQE TCLSVTCKSG DFSCGGRVNR CIPQFWRCDG QVDCDNGSDE QGCPPKTCSQ DEFRCHDGKC ISRQFVCDSD RDCLDGSDEA SCPVLTCGPA SFQCNSSTCI PQLWACDNDP DCEDGSDEWP QRCRGLYVFQ GDSSPCSAFE FHCLSGECIH SSWRCDGGPD CKDKSDEENC AVATCRPDEF QCSDGNCIHG SRQCDREYDC KDMSDEVGCV NVTLCEGPNK FKCHSGECIT LDKVCNMARD CRDWSDEPIK ECGTNECLDN NGGCSHVCND LKIGYECLCP DGFQLVAQRR CEDIDECQDP DTCSQLCVNL EGGYKCQCEE GFQLDPHTKA CKAVGSIAYL FFTNRHEVRK MTLDRSEYTS LIPNLRNVVA LDTEVASNRI YWSDLSQRMI CSTQLDRAHG VSSYDTVISR DIQAPDGLAV DWIHSNIYWT DSVLGTVSVA DTKGVKRKTL FRENGSKPRA IVVDPVHGFM YWTDWGTPAK IKKGGLNGVD IYSLVTENIQ WPNGITLDLL SGRLYWVDSK LHSISSIDVN GGNRKTILED EKRLAHPFSL AVFEDKVFWT DIINEAIFSA NRLTGSDVNL LAENLLSPED MVLFHNLTQP RGVNWCERTT LSNGGCQYLC LPAPQINPHS PKFTCACPDG MLLARDMRSC LTEAEAAVAT QETSTVRLKV SSTAVRTQHT

TTRPVPDTSR LPGATPGLTT VEIVTMSHQA LGDVAGRGNE KKPSSVRALS IVLPIVLLVF LCLGVFLLWK NWRLKNINSI NFDNPVYQKT TEDEVHICHN QDGYSYPSRQ MVSLEDDVA

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human LDLR Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Product Details Sterility: 0.22 µm filtered Endotoxin Level: Protein is endotoxin-free. Grade: Crystallography grade **Target Details** Target: **LDLR** Alternative Name: LDLR (LDLR Products) Background: Binds LDL, the major cholesterol-carrying lipoprotein of plasma, and transports it into cells by endocytosis. In order to be internalized, the receptor-ligand complexes must first cluster into clathrin-coated pits., (Microbial infection) Acts as a receptor for hepatitis C virus in hepatocytes, but not through a direct interaction with viral proteins (PubMed:10535997, PubMed:12615904). Acts as a receptor for vesicular stomatitis virus (PubMed:23589850). In case of HIV-1 infection, may function as a receptor for extracellular Tat in neurons, mediating its internalization in uninfected cells (PubMed:11100124). {ECO:0000269|PubMed:10535997, ECO:0000269|PubMed:11100124, ECO:0000269|PubMed:12615904, ECO:0000269|PubMed:23589850}. Molecular Weight: 94.3 kDa Including tag. UniProt: P01130 Pathways: Hepatitis C, Lipid Metabolism **Application Details**

| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies |
|--------------------|---|
| | as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee |
| | though. |
| Comment: | In cases in which it is highly likely that the recombinant protein with the default tag will be |
| | insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to |
| | increase solubility. We will discuss all possible options with you in detail to assure that you |
| | receive your protein of interest. |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|------------------|--|
| Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | Unlimited (if stored properly) |

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process