# antibodies .- online.com





# CD44 Protein (CD44) (AA 21-742) (rho-1D4 tag)



**Image** 



#### Overview

Quantity:	1 mg
Target:	CD44
Protein Characteristics:	AA 21-742
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD44 protein is labelled with rho-1D4 tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)

#### **Product Details**

Sequence:

QIDLNITCRF AGVFHVEKNG RYSISRTEAA DLCKAFNSTL PTMAQMEKAL SIGFETCRYG
FIEGHVVIPR IHPNSICAAN NTGVYILTSN TSQYDTYCFN ASAPPEEDCT SVTDLPNAFD
GPITITIVNR DGTRYVQKGE YRTNPEDIYP SNPTDDDVSS GSSSERSSTS GGYIFYTFST
VHPIPDEDSP WITDSTDRIP ATTLMSTSAT ATETATKRQE TWDWFSWLFL PSESKNHLHT
TTQMAGTSSN TISAGWEPNE ENEDERDRHL SFSGSGIDDD EDFISSTIST TPRAFDHTKQ
NQDWTQWNPS HSNPEVLLQT TTRMTDVDRN GTTAYEGNWN PEAHPPLIHH EHHEEEETPH
STSTIQATPS STTEETATQK EQWFGNRWHE GYRQTPKEDS HSTTGTAAAS AHTSHPMQGR
TTPSPEDSSW TDFFNPISHP MGRGHQAGRR MDMDSSHSIT LQPTANPNTG LVEDLDRTGP
LSMTTQQSNS QSFSTSHEGL EEDKDHPTTS TLTSSNRNDV TGGRRDPNHS EGSTTLLEGY
TSHYPHTKES RTFIPVTSAK TGSFGVTAVT VGDSNSNVNR SLSGDQDTFH PSGGSHTTHG
SESDGHSHGS QEGGANTTSG PIRTPQIPEW LIILASLLAL ALILAVCIAV NSRRRCGQKK
KLVINSGNGA VEDRKPSGLN GEASKSQEMV HLVNKESSET PDQFMTADET RNLQNVDMKI GV

# Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- · Made in Germany from design to production by highly experienced protein experts.
- Human CD44 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

# **Product Details** Endotoxin Level: Protein is endotoxin-free. Grade: Crystallography grade Target Details Target: **CD44** CD44 (CD44 Products) Alternative Name: Background: Receptor for hyaluronic acid (HA). Mediates cell-cell and cell-matrix interactions through its affinity for HA, and possibly also through its affinity for other ligands such as osteopontin, collagens, and matrix metalloproteinases (MMPs). Adhesion with HA plays an important role in cell migration, tumor growth and progression. In cancer cells, may play an important role in invadopodia formation. Also involved in lymphocyte activation, recirculation and homing, and in hematopoiesis. Altered expression or dysfunction causes numerous pathogenic phenotypes. Great protein heterogeneity due to numerous alternative splicing and post-translational modification events. Receptor for LGALS9, the interaction enhances binding of SMAD3 to the FOXP3 promoter, leading to up-regulation of FOXP3 expression and increased induced regulatory T (iTreg) cell stability and suppressive function (By similarity). {ECO:0000250|UniProtKB:P15379, ECO:0000269|PubMed:16541107}. Molecular Weight: 80.4 kDa Including tag. UniProt: P16070 Pathways: Glycosaminoglycan Metabolic Process, Autophagy, Negative Regulation of intrinsic apoptotic Signaling **Application Details** Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be

receive your protein of interest.

For Research Use only

Restrictions:


insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to

increase solubility. We will discuss all possible options with you in detail to assure that you

### Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

## Images



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process