

Datasheet for ABIN3113009 ITGA2 Protein (AA 30-1181) (rho-1D4 tag)



Overview

Quantity:	1 mg
Target:	ITGA2
Protein Characteristics:	AA 30-1181
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ITGA2 protein is labelled with rho-1D4 tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

YNVGLPEAKI FSGPSSEQFG YAVQQFINPK GNWLLVGSPW SGFPENRMGD VYKCPVDLST
ATCEKLNLQT STSIPNVTEM KTNMSLGLIL TRNMGTGGFL TCGPLWAQQC GNQYYTTGVC
SDISPDFQLS ASFSPATQPC PSLIDVVVVC DESNSIYPWD AVKNFLEKFV QGLDIGPTKT
QVGLIQYANN PRVVFNLNTY KTKEEMIVAT SQTSQYGGDL TNTFGAIQYA RKYAYSAASG
GRRSATKVMV VVTDGESHDG SMLKAVIDQC NHDNILRFGI AVLGYLNRNA LDTKNLIKEI
KAIASIPTER YFFNVSDEAA LLEKAGTLGE QIFSIEGTVQ GGDNFQMEMS QVGFSADYSS
QNDILMLGAV GAFGWSGTIV QKTSHGHLIF PKQAFDQILQ DRNHSSYLGY SVAAISTGES
THFVAGAPRA NYTGQIVLYS VNENGNITVI QAHRGDQIGS YFGSVLCSVD VDKDTITDVL
LVGAPMYMSD LKKEEGRVYL FTIKKGILGQ HQFLEGPEGI ENTRFGSAIA ALSDINMDGF
NDVIVGSPLE NQNSGAVYIY NGHQGTIRTK YSQKILGSDG AFRSHLQYFG RSLDGYGDLN
GDSITDVSIG AFGQVVQLWS QSIADVAIEA SFTPEKITLV NKNAQIILKL CFSAKFRPTK
ONNQVAIVYN ITLDADGFSS RVTSRGLFKE NNERCLOKNM VVNQAQSCPE HIIYIQEPSD

VVNSLDLRVD ISLENPGTSP ALEAYSETAK VFSIPFHKDC GEDGLCISDL VLDVRQIPAA
QEQPFIVSNQ NKRLTFSVTL KNKRESAYNT GIVVDFSENL FFASFSLPVD GTEVTCQVAA
SQKSVACDVG YPALKREQQV TFTINFDFNL QNLQNQASLS FQALSESQEE NKADNLVNLK
IPLLYDAEIH LTRSTNINFY EISSDGNVPS IVHSFEDVGP KFIFSLKVTT GSVPVSMATV IIHIPQYTKE
KNPLMYLTGV QTDKAGDISC NADINPLKIG QTSSSVSFKS ENFRHTKELN CRTASCSNVT
CWLKDVHMKG EYFVNVTTRI WNGTFASSTF QTVQLTAAAE INTYNPEIYV IEDNTVTIPL
MIMKPDEKAE VPTGVIIGSI IAGILLLLAL VAILWKLGFF KRKYEKMTKN PDEIDETTEL SS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human ITGA2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their

- Todaot Betano	
	rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 μm filtered
Endotoxin Level:	Protein is endotoxin-free.
Grade:	Crystallography grade
Target Details	
Target:	ITGA2
Alternative Name:	ITGA2 (ITGA2 Products)
Background:	Integrin alpha-2/beta-1 is a receptor for laminin, collagen, collagen C-propeptides, fibronectin and E-cadherin. It recognizes the proline-hydroxylated sequence G-F-P-G-E-R in collagen. It is responsible for adhesion of platelets and other cells to collagens, modulation of collagen and collagenase gene expression, force generation and organization of newly synthesized extracellular matrix., (Microbial infection) Integrin ITGA2:ITGB1 acts as a receptor for human rotavirus A (PubMed:12941907). Integrin ITGA2:ITGB1 acts as a receptor for human echoviruses 1 and 8 (PubMed:8411387). {ECO:0000269 PubMed:12941907, ECO:0000269 PubMed:8411387}.
Molecular Weight:	127.6 kDa Including tag.
UniProt:	P17301
Pathways:	CXCR4-mediated Signaling Events, Smooth Muscle Cell Migration, Integrin Complex
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you

Application Details

	receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)