antibodies .- online.com





KCNA5 Protein (AA 1-613) (rho-1D4 tag)



Image



Overview

Quantity:	1 mg
Target:	KCNA5
Protein Characteristics:	AA 1-613
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KCNA5 protein is labelled with rho-1D4 tag.
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:

MEIALVPLEN GGAMTVRGGD EARAGCGQAT GGELQCPPTA GLSDGPKEPA PKGRGAQRDA DSGVRPLPPL PDPGVRPLPP LPEELPRPRR PPPEDEEEEG DPGLGTVEDQ ALGTASLHHQ RVHINISGLR FETQLGTLAQ FPNTLLGDPA KRLRYFDPLR NEYFFDRNRP SFDGILYYYQ SGGRLRRPVN VSLDVFADEI RFYQLGDEAM ERFREDEGFI KEEEKPLPRN EFQRQVWLIF EYPESSGSAR AIAIVSVLVI LISIITFCLE TLPEFRDERE LLRHPPAPHQ PPAPAPGANG SGVMAPPSGP TVAPLLPRTL ADPFFIVETT CVIWFTFELL VRFFACPSKA GFSRNIMNII DVVAIFPYFI TLGTELAEQQ PGGGGGGQNG QQAMSLAILR VIRLVRVFRI FKLSRHSKGL QILGKTLQAS MRELGLLIFF LFIGVILFSS AVYFAEADNQ GTHFSSIPDA FWWAVVTMTT VGYGDMRPIT VGGKIVGSLC AIAGVLTIAL PVPVIVSNFN YFYHRETDHE EPAVLKEEQG TQSQGPGLDR GVQRKVSGSR GSFCKAGGTL ENADSARRGS CPLEKCNVKA KSNVDLRRSL YALCLDTSRE TDL

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human KCNA5 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin-free.

Product Details Grade: Crystallography grade **Target Details** Target: KCNA5 Alternative Name KCNA5 (KCNA5 Products) Background: Voltage-gated potassium channel that mediates transmembrane potassium transport in excitable membranes. Forms tetrameric potassium-selective channels through which potassium ions pass in accordance with their electrochemical gradient. The channel alternates between opened and closed conformations in response to the voltage difference across the membrane. Can form functional homotetrameric channels and heterotetrameric channels that contain variable proportions of KCNA1, KCNA2, KCNA4, KCNA5, and possibly other family members as well, channel properties depend on the type of alpha subunits that are part of the channel (PubMed:12130714). Channel properties are modulated by cytoplasmic beta subunits that regulate the subcellular location of the alpha subunits and promote rapid inactivation (PubMed:12130714). Homotetrameric channels display rapid activation and slow inactivation (PubMed:8505626, PubMed:12130714). May play a role in regulating the secretion of insulin in normal pancreatic islets. Isoform 2 exhibits a voltage-dependent recovery from inactivation and an excessive cumulative inactivation (PubMed:11524461). {ECO:0000269|PubMed:11524461, ECO:0000269|PubMed:12130714, ECO:0000269|PubMed:8505626}. Molecular Weight: 68.4 kDa Including tag. UniProt: P22460 **Application Details Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to

receive your protein of interest.

For Research Use only

Restrictions:

increase solubility. We will discuss all possible options with you in detail to assure that you

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process