antibodies

Datasheet for ABIN3113260 ITGB8 Protein (AA 43-769) (rho-1D4 tag)





Overview

Quantity:	1 mg
Target:	ITGB8
Protein Characteristics:	AA 43-769
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ITGB8 protein is labelled with rho-1D4 tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:	EDNRCASSNA ASCARCLALG PECGWCVQED FISGGSRSER CDIVSNLISK GCSVDSIEYP
	SVHVIIPTEN EINTQVTPGE VSIQLRPGAE ANFMLKVHPL KKYPVDLYYL VDVSASMHNN
	IEKLNSVGND LSRKMAFFSR DFRLGFGSYV DKTVSPYISI HPERIHNQCS DYNLDCMPPH
	GYIHVLSLTE NITEFEKAVH RQKISGNIDT PEGGFDAMLQ AAVCESHIGW RKEAKRLLLV
	MTDQTSHLAL DSKLAGIVVP NDGNCHLKNN VYVKSTTMEH PSLGQLSEKL IDNNINVIFA
	VQGKQFHWYK DLLPLLPGTI AGEIESKAAN LNNLVVEAYQ KLISEVKVQV ENQVQGIYFN
	ITAICPDGSR KPGMEGCRNV TSNDEVLFNV TVTMKKCDVT GGKNYAIIKP IGFNETAKIH
	IHRNCSCQCE DNRGPKGKCV DETFLDSKCF QCDENKCHFD EDQFSSESCK SHKDQPVCSG
	RGVCVCGKCS CHKIKLGKVY GKYCEKDDFS CPYHHGNLCA GHGECEAGRC QCFSGWEGDR
	CQCPSAAAQH CVNSKGQVCS GRGTCVCGRC ECTDPRSIGR FCEHCPTCYT ACKENWNCMQ
	CLHPHNLSQA ILDQCKTSCA LMEQQHYVDQ TSECFSSPSY LRIFFIIFIV TFLIGLLKVL
	IIRQVILQWN SNKIKSSSDY RVSASKKDKL ILQSVCTRAV TYRREKPEEI KMDISKLNAH ETFRCNF

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3113260 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

special request, please contact us.Characteristics:• Made in Germany - from design to production - by highly experienced protein experts. • Human ITG88 Protein (rigised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. • State-of-the-art algorithm used for pleasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in companison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expression process for custom-made proteins, or jetes might apply for the expression process of experiments or purification order/protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experimends protein experts will do everything to make sure that you receive the protein. The protein's absorbance will be measured using the absorbance at 280m. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of our recombinant proteins is measured using the absorbance at 280m. The protein's absorbance will be measured using its specific absorption coefficient. We use tiefferent detergents (detergent screen). Samples are analyzed by Western biot.Purification:Three step purification of membrane proteins expressed in bacculovius infected SF9 insect cells: The concentration of numbrane proteins screenses and insected to second purification with at the target by destergent screen). Samples are analyzed by Western biot. The protein detergents		Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
 Human ITGB8 Protein (raised in insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unikely event that the protein cannot be expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order proteins you will only pay upon receival of the correctly folded protein. We use the protein severst will do everything to make sure that you receive a loss assured that our experiments or purification optimization). When you order this made-to-order proteins you will only pay upon receival of the correctly folded protein. Will no financial risk on your end you can rest assured that our experimenced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expansy's protparam tool to determine the absorption coefficient of each protein. We use the Expansy's protparam tool to determine the absorption coefficient of each protein with different detergents (detergent screen). Samples are analyzed by Western blot. The best performing detergent is used for solubilization and subsequently solubilized with different etergents (detergent screen). Samples are analyzed by Western blot. Protein containing fractions of the best purification are subjected to second purification step through size exolusion chromatograph. Eluate fractions are		special request, please contact us.
experts in the lab will ensure that you receive a correctly folded protein.The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells: 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot. 2. The best performing detergent is used for solubilization and the proteins are purified via their rhoID124 any two rhoID44 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.Purify:>95 % as determined by SDS PAGE, Size Exclusion Chromatogra	Characteristics:	• Human ITGB8 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.		
(other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells: 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot. 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.		made proteins from other companies is that there is no financial obligation in case the protein
folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein. Purification: Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells: Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot. Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.		(other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells: 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot. 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.		folded protein. With no financial risk on your end you can rest assured that our experienced
the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.		The protein's absorbance will be measured in several dilutions and is measured against its
cells:1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.		
 different detergents (detergent screen). Samples are analyzed by Western blot. 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot. 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot. Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. 	Purification:	
Western blot. Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.		different detergents (detergent screen). Samples are analyzed by Western blot.2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
		through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and
Sterility: 0.22 µm filtered	Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
	Sterility:	0.22 µm filtered

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3113260 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Product Details		
Endotoxin Level:	Protein is endotoxin-free.	
Grade:	Crystallography grade	

Target Details

Target:	ITGB8
Alternative Name:	ITGB8 (ITGB8 Products)
Background:	Integrin alpha-V/beta-8 is a receptor for fibronectin.
Molecular Weight:	82.3 kDa Including tag.
UniProt:	P26012
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to

increase solubility. We will discuss all possible options with you in detail to assure that you
receive your protein of interest.

Restrictions:

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

For Research Use only



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3113260 | 09/11/2023 | Copyright antibodies-online. All rights reserved.