

Datasheet for ABIN3113513

## SREBF1 Protein (AA 1-1147) (Strep Tag)



[Go to Product page](#)

### Overview

Quantity:	250 µg
Target:	SREBF1
Protein Characteristics:	AA 1-1147
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SREBF1 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

### Product Details

Brand:	AliCE®
Sequence:	<p>MDEPPFSEAA LEQALGEPD LDAALLTDIE DMLQLINNQD SDFPGLFDPP YAGSGAGGTD</p> <p>PASPDTSPPG SLSPPPATLS SSLEAFLSGP QAAPSPLSPP QPAPTPLKMY PSMPAFSPGP</p> <p>GIKEESVPLS ILQTPTPQPL PGALLPQSFP APAPPQFSST PVLGYPSPPG GFSTGSPPGN</p> <p>TQQPLPGLPL ASPPGVPPVS LHTQVQSVVP QQLLTVTAAP TAAPVTTT VT SQIQQVPVLL</p> <p>QPHFIKADSL LLTAMKTDGA TVKAAGLSPL VSGTTVQTGP LPTLVSGGTI LATVPLVDA</p> <p>EKLPIRLAA GSKAPASAQS RGEKRTAHNA IEKRYRSSIN DKIIELKDLV VGTEAKLNKS</p> <p>AVLRKAIDYI RFLQHSNQKL KQENLSLRTA VHKSLSKDL VSACGSGGNT DVLMEGVKTE</p> <p>VEDTLTPPPS DAGSPFQSSP LSLGSRGSGS GSGSDSEPD SPVFEDSKAK PEQRPSLHSR</p> <p>GMLDRSLAL CTLVFLCLSC NPLASLLGAR GLPSPDSTS VYHSPGRNVL GTERDGPWG</p> <p>AQWLLPPVWW LLNGLLVLS LVLLFVYGEP VTRPHSGPAV YFWRHRKQAD LDLARGDFAQ</p> <p>AAQQLWLALR ALGRPLPTSH LDLACSLWN LIRHLLQLRW VGRWLAGRAG GLQQDCALRV</p>

DASASARDAA LVYHKLHQLH TMGKHTGGHL TATNLALSAL NLAECAGDAV SVATLAEIYV  
AAALRVKTSL PRALHFLTRF FLSSARQACL AQSGSVPPAM QWLCHPVGHR FFVDGDWSVL  
STPWESLYSL AGNPVDPLAQ VTQLFREHLL ERALNCVTQP NPSPGSADGD KEFSDALGYL  
QLLNSCSDAA GAPAYSFSIS SSMATTTGVD PVAKWWASLT AVVIHWLRRD EEEAERLCPL  
VEHLPRVLQE SERPLPRAAL HSFKAARALL GCAKAESGPA SLTICEKASG YLQDSLATTP  
ASSSIDKAVQ LFLCDLLLVV RTSLWRQQQP PAPAPAAQGT SSRPQASALE LRGFQRDLSS  
LRRLAQSFRP AMRRVFLHEA TARLMAGASP TRTHQLLDRS LRRRAGPGGK GGAVAELEPR  
PTRREHAEAL LLASCYLPPG FLSAPGQRVG MLAEAAARTLE KLGDRRLLD CQQMLMRLGG  
GTTVTSS

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

### Characteristics:

#### Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

## Product Details

### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

**Purification:** One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

**Purity:** > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

**Grade:** custom-made

## Target Details

**Target:** SREBF1

**Alternative Name:** SREBF1 ([SREBF1 Products](#))

**Background:** Sterol regulatory element-binding protein 1 (SREBP-1) (Class D basic helix-loop-helix protein 1) (bHLHd1) (Sterol regulatory element-binding transcription factor 1) [Cleaved into: Processed sterol regulatory element-binding protein 1 (Transcription factor SREBF1)],FUNCTION: [Sterol regulatory element-binding protein 1]: Precursor of the transcription factor form (Processed sterol regulatory element-binding protein 1), which is embedded in the endoplasmic reticulum membrane (PubMed:32322062). Low sterol concentrations promote processing of this form, releasing the transcription factor form that translocates into the nucleus and activates transcription of genes involved in cholesterol biosynthesis and lipid homeostasis (By similarity). {ECO:0000250|UniProtKB:Q9WTN3, ECO:0000269|PubMed:32322062}., FUNCTION: [Processed sterol regulatory element-binding protein 1]: Key transcription factor that regulates expression of genes involved in cholesterol biosynthesis and lipid homeostasis (PubMed:8402897, PubMed:12177166, PubMed:32322062). Binds to the sterol regulatory element 1 (SRE-1) (5'-ATCACCCAC-3'). Has dual sequence specificity binding to both an E-box motif (5'-ATCACGTGA-3') and to SRE-1 (5'-ATCACCCAC-3') (PubMed:8402897, PubMed:12177166). Regulates the promoters of genes involved in cholesterol biosynthesis and the LDL receptor (LDLR) pathway of sterol regulation (PubMed:8402897, PubMed:12177166, PubMed:32322062). {ECO:0000250|UniProtKB:Q9WTN3, ECO:0000269|PubMed:12177166, ECO:0000269|PubMed:32322062, ECO:0000269|PubMed:8402897}., FUNCTION: [Isoform SREBP-1A]: Isoform expressed only in select tissues, which has higher transcriptional activity compared to SREBP-1C (By similarity). Able to stimulate both lipogenic and cholesterologenic gene expression (PubMed:12177166, PubMed:32497488). Has a role in the nutritional

## Target Details

regulation of fatty acids and triglycerides in lipogenic organs such as the liver (By similarity). Required for innate immune response in macrophages by regulating lipid metabolism (By similarity). {ECO:0000250|UniProtKB:Q9WTN3, ECO:0000269|PubMed:12177166, ECO:0000269|PubMed:32497488}., FUNCTION: [Isoform SREBP-1C]: Predominant isoform expressed in most tissues, which has weaker transcriptional activity compared to isoform SREBP-1A (By similarity). Primarily controls expression of lipogenic gene (PubMed:12177166). Strongly activates global lipid synthesis in rapidly growing cells (By similarity). {ECO:0000250|UniProtKB:Q9WTN3, ECO:0000269|PubMed:12177166}., FUNCTION: [Isoform SREBP-1aDelta]: The absence of Golgi proteolytic processing requirement makes this isoform constitutively active in transactivation of lipogenic gene promoters. {ECO:0000305|PubMed:7759101}., FUNCTION: [Isoform SREBP-1cDelta]: The absence of Golgi proteolytic processing requirement makes this isoform constitutively active in transactivation of lipogenic gene promoters. {ECO:0000305|PubMed:7759101}.

Molecular Weight:	121.7 kDa
UniProt:	<a href="#">P36956</a>
Pathways:	<a href="#">AMPK Signaling</a> , <a href="#">Caspase Cascade in Apoptosis</a> , <a href="#">Negative Regulation of Hormone Secretion</a> , <a href="#">Regulation of Lipid Metabolism by PPARalpha</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months