

Datasheet for ABIN3113874

DGKE Protein (AA 1-567) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	DGKE
Protein Characteristics:	AA 1-567
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This DGKE protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Brand:	AliCE®
Sequence:	<p>MEAERRPAPG SPSEGLFADG HLILWTLCSV LLPVFITFWC SLQRSRRQLH RRDIFRKSKH</p> <p>GWRDIDLFSQ PTYCCVCAQH ILQGAFCDCG GLRVDEGCLR KADKRFQCKE IMLKNDTKVL</p> <p>DAMPHHWIRG NVPLCSYCMV CKQQCGCQPK LCDYRCIWQC KTVHDECMKN SLKNEKCDFG</p> <p>EFKNLIIPPS YLTSINQMRK DKKTDYEVLA SKLGKQWTPL IILANSRSGT NMGEGLLGEF</p> <p>RILLNPVQVF DVTKTPIKA LQLCTLLPY SARVLVCGGD GTVGWVLDAV DDMKIKGQEK</p> <p>YIPQVAVLPL GTGNDLSNTL GWGTGYAGEI PVAQVLRNVM EADGIKLDWR KVQVTNKGYY</p> <p>NLRKPKEFTM NNYFSVGPDA LMALNFHAHR EKAPSLFSSR ILNKAVYLFY GTKDCLVQEC</p> <p>KDLNKKVELE LDGERVALPS LEGIIVLNIG YWGGGCRLWE GMGDETYPLA RHDDGLLEV</p> <p>GVYGSFHCAQ IQVKLANPFR IGQAHTVRLI LKCSMMPMQV DGEPWAQGPC TVTITHKTHA</p> <p>MMLYFSGEQT DDDISSTSDQ EDIKATE</p>

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression

system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Purity:

> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade:

custom-made

Target Details

Target:	DGKE
Alternative Name:	DGKE (DGKE Products)
Background:	<p>Diacylglycerol kinase epsilon (DAG kinase epsilon) (EC 2.7.1.107) (Diglyceride kinase epsilon) (DGK-epsilon),FUNCTION: Membrane-bound diacylglycerol kinase that converts diacylglycerol/DAG into phosphatidic acid/phosphatidate/PA and regulates the respective levels of these two bioactive lipids (PubMed:15544348, PubMed:19744926, PubMed:22108654, PubMed:21477596, PubMed:23949095). Thereby, acts as a central switch between the signaling pathways activated by these second messengers with different cellular targets and opposite effects in numerous biological processes (PubMed:8626589, PubMed:15544348). Also plays an important role in the biosynthesis of complex lipids (PubMed:8626589). Displays specificity for diacylglycerol substrates with an arachidonoyl acyl chain at the sn-2 position, with the highest activity toward 1-octadecanoyl-2-(5Z,8Z,11Z,14Z-eicosatetraenoyl)-sn-glycerol the main diacylglycerol intermediate within the phosphatidylinositol turnover cycle (PubMed:19744926, PubMed:22108654, PubMed:23274426). Can also phosphorylate diacylglycerol substrates with a linoleoyl acyl chain at the sn-2 position but much less efficiently (PubMed:22108654). {ECO:0000269 PubMed:15544348, ECO:0000269 PubMed:19744926, ECO:0000269 PubMed:21477596, ECO:0000269 PubMed:22108654, ECO:0000269 PubMed:23274426, ECO:0000269 PubMed:23949095, ECO:0000303 PubMed:15544348, ECO:0000303 PubMed:8626589}.</p>
Molecular Weight:	63.9 kDa
UniProt:	P52429

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional</p>

Application Details

components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months