antibodies -online.com





HERV-FRD Provirus Ancestral Env Polyprotein (Herv-frd) (AA 351-538) protein (rho-1D4 tag)



Go to Product page

\sim					
	۱۱/	r١	/1	Д	۱۸

Overview	
Quantity:	1 mg
Target:	HERV-FRD Provirus Ancestral Env Polyprotein (Herv-frd)
Protein Characteristics:	AA 351-538
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	rho-1D4 tag
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)
Product Details	
Sequence:	AIHFIPLLAG LGILAGTGTG IAGITKASLT YSQLSKEIAN NIDTMAKALT TMQEQIDSLA
	AVVLQNRRGL DMLTAAQGGI CLALDEKCCF WVNQSGKVQD NIRQLLNQAS SLRERATQGW
	LNWEGTWKWF SWVLPLTGPL VSLLLLLLFG PCLLNLITQF VSSRLQAIKL QTNLSAGRHP
	RNIQESPF
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.
	Human ERVFRD-1 Protein (raised in Insect Cells) purified by multi-step, protein-specific
	process to ensure crystallization grade.State-of-the-art algorithm used for plasmid design (Gene synthesis).
	State of the art algorithm used for plasmid design (defie synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin-free.
Grade:	Crystallography grade

Target Details

Target:	HERV-FRD Provirus Ancestral Env Polyprotein (Herv-frd)
Alternative Name:	ERVFRD-1 (Herv-frd Products)
Target Type:	Viral Protein

Target Details

Background:	This endogenous retroviral envelope protein has retained its original fusogenic properties and participates in trophoblast fusion and the formation of a syncytium during placenta
	morphogenesis. The interaction with MFSD2A is apparently important for this process
	(PubMed:18988732). {ECO:0000269 PubMed:18988732}., Endogenous envelope proteins may
	have kept, lost or modified their original function during evolution but this one can still make
	pseudotypes with MLV, HIV-1 or SIV-1 virions and confer infectivity. Retroviral envelope proteins
	mediate receptor recognition and membrane fusion during early infection. The surface protein
	mediates receptor recognition, while the transmembrane protein anchors the envelope
	heterodimer to the viral membrane through one transmembrane domain. The other
	hydrophobic domain, called fusion peptide, mediates fusion of the viral membrane with the
	target cell membrane (PubMed:14694139). {ECO:0000269 PubMed:14694139}.
Molecular Weight:	21.7 kDa Including tag.
UniProt:	P60508
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
	increase solubility. We will discuss all possible options with you in detail to assure that you
	receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)