
antibodies .- online.com





SLC20A2 Protein (AA 1-652) (Strep Tag)





Overview

Quantity:	1 mg
Target:	SLC20A2
Protein Characteristics:	AA 1-652
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC20A2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:

MAMDEYLWMV ILGFIIAFIL AFSVGANDVA NSFGTAVGSG VVTLRQACIL ASIFETTGSV
LLGAKVGETI RKGIIDVNLY NETVETLMAG EVSAMVGSAV WQLIASFLRL PISGTHCIVG
STIGFSLVAI GTKGVQWMEL VKIVASWFIS PLLSGFMSGL LFVLIRIFIL KKEDPVPNGL
RALPVFYAAT IAINVFSIMY TGAPVLGLVL PMWAIALISF GVALLFAFFV WLFVCPWMRR
KITGKLQKEG ALSRVSDESL SKVQEAESPV FKELPGAKAN DDSTIPLTGA AGETLGTSEG
TSAGSHPRAA YGRALSMTHG SVKSPISNGT FGFDGHTRSD GHVYHTVHKD SGLYKDLLHK
IHIDRGPEEK PAQESNYRLL RRNNSYTCYT AAICGLPVHA TFRAADSSAP EDSEKLVGDT
VSYSKKRLRY DSYSSYCNAV AEAEIEAEEG GVEMKLASEL ADPDQPREDP AEEEKEEKDA
PEVHLLFHFL QVLTACFGSF AHGGNDVSNA IGPLVALWLI YKQGGVTQEA ATPVWLLFYG
GVGICTGLWV WGRRVIQTMG KDLTPITPSS GFTIELASAF TVVIASNIGL PVSTTHCKVG
SVVAVGWIRS RKAVDWRLFR NIFVAWFVTV PVAGLFSAAV MALLMYGILP YV

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression

system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag

UniProt:

Product Details	
	capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade
Target Details	
Target:	SLC20A2
Alternative Name:	SLC20A2 (SLC20A2 Products)
Background:	Sodium-dependent phosphate transporter 2 (Gibbon ape leukemia virus receptor 2) (GLVR-2)
	(Phosphate transporter 2) (PiT-2) (Pit2) (hPit2) (Solute carrier family 20 member 2),FUNCTION:
	Sodium-phosphate symporter which preferentially transports the monovalent form of
	phosphate with a stoichiometry of two sodium ions per phosphate ion (PubMed:12205090,
	PubMed:15955065, PubMed:16790504, PubMed:17494632, PubMed:22327515,
	PubMed:28722801, PubMed:30704756). Plays a critical role in the determination of bone
	quality and strength by providing phosphate for bone mineralization (By similarity). Required to
	maintain normal cerebrospinal fluid phosphate levels (By similarity). Mediates phosphate-
	induced calcification of vascular smooth muscle cells (VCMCs) and can functionally
	compensate for loss of SLC20A1 in VCMCs (By similarity). {ECO:0000250 UniProtKB:Q80UP8,
	ECO:0000269 PubMed:12205090, ECO:0000269 PubMed:15955065,
	ECO:0000269 PubMed:16790504, ECO:0000269 PubMed:17494632,
	ECO:0000269 PubMed:22327515, ECO:0000269 PubMed:28722801,
	ECO:0000269 PubMed:30704756}., FUNCTION: (Microbial infection) Functions as a retroviral
	receptor and confers human cells susceptibility to infection to amphotropic murine leukemia
	virus (A-MuLV), 10A1 murine leukemia virus (10A1 MLV) and some feline leukemia virus
	subgroup B (FeLV-B) variants. (ECO:0000269 PubMed:11435563,
	ECO:0000269 PubMed:12205090, ECO:0000269 PubMed:15955065,
	ECO:0000269 PubMed:8302848}.
Molecular Weight:	70.4 kDa

Q08357

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process