

Datasheet for ABIN3115037

Ephrin B3 Protein (EFNB3) (AA 28-340) (rho-1D4 tag)



Overview

Quantity:	1 mg	
Target:	Ephrin B3 (EFNB3)	
Protein Characteristics:	AA 28-340	
Origin:	Human	
Source:	Insect Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This Ephrin B3 protein is labelled with rho-1D4 tag.	
Application:	SDS-PAGE (SDS), Crystallization (Crys), ELISA, Western Blotting (WB)	

Product Details

Sequence:

LSLEPVYWNS ANKRFQAEGG YVLYPQIGDR LDLLCPRARP PGPHSSPNYE FYKLYLVGGA
QGRRCEAPPA PNLLLTCDRP DLDLRFTIKF QEYSPNLWGH EFRSHHDYYI IATSDGTREG
LESLQGGVCL TRGMKVLLRV GQSPRGGAVP RKPVSEMPME RDRGAAHSLE PGKENLPGDP
TSNATSRGAE GPLPPPSMPA VAGAAGGLAL LLLGVAGAGG AMCWRRRRAK PSESRHPGPG
SFGRGGSLGL GGGGGMGPRE AEPGELGIAL RGGGAADPPF CPHYEKVSGD YGHPVYIVQD
GPPQSPPNIY YKV

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human EFNB3 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Sterility: 0.22 µm filtered Endotoxin Level: Protein is endotoxin-free. Grade:

Crystallography grade

Target Details

Target: Ephrin B3 (EFNB3)

Target Details

Alternative Name:	EFNB3 (EFNB3 Products)	
Background:	Cell surface transmembrane ligand for Eph receptors, a family of receptor tyrosine kinases	
	which are crucial for migration, repulsion and adhesion during neuronal, vascular and epithelial	
	development. Binds promiscuously Eph receptors residing on adjacent cells, leading to contact	
	dependent bidirectional signaling into neighboring cells. The signaling pathway downstream of	
	the receptor is referred to as forward signaling while the signaling pathway downstream of the	
	ephrin ligand is referred to as reverse signaling. May play a pivotal role in forebrain function.	
	Binds to, and induce the collapse of, commissural axons/growth cones in vitro. May play a role	
	in constraining the orientation of longitudinally projecting axons (By similarity). {ECO:0000250}.	
	(Microbial infection) Acts as a receptor for nipah virus and hendra virus.	
	{ECO:0000269 PubMed:16477309, ECO:0000269 PubMed:17376907}.	
Molecular Weight:	34.5 kDa Including tag.	
UniProt:	Q15768	
Pathways:	RTK Signaling	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee	
	though.	
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be	
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to	
	increase solubility. We will discuss all possible options with you in detail to assure that you	
	receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	

1	1 11	١٠
\vdash	land	∥n∩
1	ıarıa	11110

Expiry Date:

Unlimited (if stored properly)