# antibodies .- online.com





## IL23R Protein (AA 24-629) (rho-1D4 tag)





Go to Product page

### Overview

Quantity:	1 mg
Target:	IL23R
Protein Characteristics:	AA 24-629
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL23R protein is labelled with rho-1D4 tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

### **Product Details**

Sequence:

GITNINCSGH IWVEPATIFK MGMNISIYCQ AAIKNCQPRK LHFYKNGIKE RFQITRINKT
TARLWYKNFL EPHASMYCTA ECPKHFQETL ICGKDISSGY PPDIPDEVTC VIYEYSGNMT
CTWNAGKLTY IDTKYVVHVK SLETEEEQQY LTSSYINIST DSLQGGKKYL VWVQAANALG
MEESKQLQIH LDDIVIPSAA VISRAETINA TVPKTIIYWD SQTTIEKVSC EMRYKATTNQ
TWNVKEFDTN FTYVQQSEFY LEPNIKYVFQ VRCQETGKRY WQPWSSLFFH KTPETVPQVT
SKAFQHDTWN SGLTVASIST GHLTSDNRGD IGLLLGMIVF AVMLSILSLI GIFNRSFRTG
IKRRILLLIP KWLYEDIPNM KNSNVVKMLQ ENSELMNNNS SEQVLYVDPM ITEIKEIFIP
EHKPTDYKKE NTGPLETRDY PQNSLFDNTT VVYIPDLNTG YKPQISNFLP EGSHLSNNNE
ITSLTLKPPV DSLDSGNNPR LQKHPNFAFS VSSVNSLSNT IFLGELSLIL NQGECSSPDI
QNSVEEETTM LLENDSPSET IPEQTLLPDE FVSCLGIVNE ELPSINTYFP QNILESHFNR ISLLEK
Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human IL23R Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

 Purity:
 >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

 Sterility:
 0.22 μm filtered

 Endotoxin Level:
 Protein is endotoxin-free.

 Grade:
 Crystallography grade

## **Target Details**

IL23R
IL23R (IL23R Products)
Associates with IL12RB1 to form the interleukin-23 receptor. Binds IL23 and mediates T-cells, NK cells and possibly certain macrophage/myeloid cells stimulation probably through activation of the Jak-Stat signaling cascade. IL23 functions in innate and adaptive immunity and may participate in acute response to infection in peripheral tissues. IL23 may be responsible for autoimmune inflammatory diseases and be important for tumorigenesis. {ECO:0000269 PubMed:12023369}.
70.2 kDa Including tag.
Q5VWK5
Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Activated T Cell Proliferation
In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
For Research Use only
Liquid
100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Avoid repeated freeze-thaw cycles.
-80 °C
Store at -80°C.
Unlimited (if stored properly)



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process