

Datasheet for ABIN3115663

LRRC8E Protein (AA 1-796) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	LRRC8E
Protein Characteristics:	AA 1-796
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This LRRC8E protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Brand:	AliCE®
Sequence:	<p>MIPVAEFKQF TEQQPAFKVL KPWWDVLA EY LTVAMLMIGV FGCTLQVTQD KIICLPNHEL</p> <p>QENLSEAPCQ QLLPRGIPEQ IGALQEVKGL KNNLDLQQYS FINQLCYETA LHWYAKYFPY</p> <p>LVVIHTLIFM VCTSFWFKFP GTSSKIEHFI SILGKCFDSP WTTRALSEVS GENQKGPAAT</p> <p>ERAAATIVAM AGTGPGKAGE GEKEKVLAE EKVTEPPVV TLLDKKEGEQ AKALFEKVKK</p> <p>FRMHVEEGDI LYTM YIRQTV LKVCKFLAIL VYNLVYVEKI SFLVACRVET SEVTGYASFC</p> <p>CNHTKAHLFS KLAFCYISFV CIYGLTCIYT LYWLFHRPLK EYSFRSVREE TGMGDIPDVK</p> <p>NDFAFMLHLI DQYDSL YSKR FAVFLSEVSE SRLKQLNLNH EWTPEKLRQK LQRNAAGRLE</p> <p>LALCMLPGLP DTVFELSEVE SLRLEAICDI TFP PGLSQLV HLQELSL LHS PARLPFSLQV</p> <p>FLRDHLKVMR VKCEELREVP LWWFGLRGL EHLHLEGLFPQ ELARAATLES LRELKQLKVL</p> <p>SLRSNAGKVP ASVTDVAGHL QRLSLHNDGA RLVALNSLKK LAALRELELV ACGLERIPHA</p> <p>VFSLGALQEL DLKDNHLRSI EEILSFQHCR KLVTLRLWHN QIAYVPEHVR KLRSLEQLYL</p>

SYNKLETLP S QLGLCSGLRL LDVSHNGLHS LPPEVGLLQN LQHLALS YNA LEALPEELFF
CRKLRTLLLG DNQLSQLSPH VGALRAL SRL ELKGNRLEAL PEELGNCGGL KKAGLLVEDT
LYQGLPAEVR DKMEEE

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression

Product Details

	System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	LRRC8E
Alternative Name:	LRRC8E (LRRC8E Products)
Background:	<p>Volume-regulated anion channel subunit LRRC8E (Leucine-rich repeat-containing protein 8E),FUNCTION: Non-essential component of the volume-regulated anion channel (VRAC, also named VSOAC channel), an anion channel required to maintain a constant cell volume in response to extracellular or intracellular osmotic changes (PubMed:24790029, PubMed:26824658, PubMed:28193731). The VRAC channel conducts iodide better than chloride and can also conduct organic osmolytes like taurine (PubMed:24790029, PubMed:26824658). Mediates efflux of amino acids, such as aspartate, in response to osmotic stress (PubMed:28193731). The VRAC channel also mediates transport of immunoreactive cyclic dinucleotide GMP-AMP (2'-3'-cGAMP), an immune messenger produced in response to DNA virus in the cytosol (PubMed:33171122). Channel activity requires LRRC8A plus at least one other family member (LRRC8B, LRRC8C, LRRC8D or LRRC8E), channel characteristics depend on the precise subunit composition (PubMed:24790029, PubMed:26824658, PubMed:28193731). Also plays a role in lysosome homeostasis by forming functional lysosomal VRAC channels in response to low cytoplasmic ionic strength condition: lysosomal VRAC channels are necessary for the formation of large lysosome-derived vacuoles, which store and then expel excess water to maintain cytosolic water homeostasis (PubMed:33139539). {ECO:0000269 PubMed:24790029, ECO:0000269 PubMed:26824658, ECO:0000269 PubMed:28193731, ECO:0000269 PubMed:33139539, ECO:0000269 PubMed:33171122}.</p>
Molecular Weight:	90.2 kDa
UniProt:	Q6NSJ5

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
--------------------	--

Application Details

Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
----------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Buffer:	<p>The buffer composition is at the discretion of the manufacturer.</p> <p>Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.</p>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months