
# antibodies .- online.com





## LPCAT3 Protein (AA 2-487) (rho-1D4 tag)





#### Go to Product page

( )	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	1 mg
Target:	LPCAT3
Protein Characteristics:	AA 2-487
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This LPCAT3 protein is labelled with rho-1D4 tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

#### **Product Details**

#### Sequence:

ASSAEGDEGT VVALAGVLQS GFQELSLNKL ATSLGASEQA LRLIISIFLG YPFALFYRHY
LFYKETYLIH LFHTFTGLSI AYFNFGNQLY HSLLCIVLQF LILRLMGRTI TAVLTTFCFQ
MAYLLAGYYY TATGNYDIKW TMPHCVLTLK LIGLAVDYFD GGKDQNSLSS EQQKYAIRGV
PSLLEVAGFS YFYGAFLVGP QFSMNHYMKL VQGELIDIPG KIPNSIIPAL KRLSLGLFYL
VGYTLLSPHI TEDYLLTEDY DNHPFWFRCM YMLIWGKFVL YKYVTCWLVT EGVCILTGLG
FNGFEEKGKA KWDACANMKV WLFETNPRFT GTIASFNINT NAWVARYIFK RLKFLGNKEL
SQGLSLLFLA LWHGLHSGYL VCFQMEFLIV IVERQAARLI QESPTLSKLA AITVLQPFYY
LVQQTIHWLF MGYSMTAFCL FTWDKWLKVY KSIYFLGHIF FLSLLFILPY IHKAMVPRKE KLKKME
Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human LPCAT3 Protein (raised in Insect Cells) purified by multi-step, protein-specific

process to ensure crystallization grade.

· State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

 Purity:
 >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

 Sterility:
 0.22 μm filtered

 Endotoxin Level:
 Protein is endotoxin-free.

 Grade:
 Crystallography grade

### **Target Details**

Target:	LDCAT3		
Target:	LPCAT3		
Alternative Name:	LPCAT3 (LPCAT3 Products)		
Background:	Acyltransferase which mediates the conversion of lysophosphatidylcholine (1-acyl-sn-glycero-3		
	phosphocholine or LPC) into phosphatidylcholine (1,2-diacyl-sn-glycero-3-phosphocholine or		
	PC) (LPCAT activity). Catalyzes also the conversion of lysophosphatidylserine (1-acyl-2-		
	hydroxy-sn-glycero-3-phospho-L-serine or LPS) into phosphatidylserine (1,2-diacyl-sn-glycero-3-		
	phospho-L-serine or PS) (LPSAT activity). Has also weak lysophosphatidylethanolamine		
	acyltransferase activity (LPEAT activity). Favors polyunsaturated fatty acyl-CoAs as acyl donors		
	compared to saturated fatty acyl-CoAs. Seems to be the major enzyme contributing to LPCAT		
	activity in the liver. Lysophospholipid acyltransferases (LPLATs) catalyze the reacylation step or		
	the phospholipid remodeling pathway also known as the Lands cycle.		
	{ECO:0000269 PubMed:18195019, ECO:0000269 PubMed:18772128}.		
Molecular Weight:	57.1 kDa Including tag.		
UniProt:	Q6P1A2		
Application Details			
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies		
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee		
	though.		
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be		
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to		
	increase solubility. We will discuss all possible options with you in detail to assure that you		
	receive your protein of interest.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.		
burrer.	100 min MaoL, 20 min riepes, 10% glycerol. pri valae is at the disorction of the manaracturer.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		

Expiry Date:

Unlimited (if stored properly)

**Images** 



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process