antibodies

Datasheet for ABIN3115696 SLC27A4 Protein (AA 1-643) (Strep Tag)





Overview

Quantity:	1 mg
Target:	SLC27A4
Protein Characteristics:	AA 1-643
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC27A4 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

ГЕ
′GVE
K
R
LG
Ç
DK
′FG
QA
/ () ()

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/5 | Product datasheet for ABIN3115696 | 04/16/2024 | Copyright antibodies-online. All rights reserved.

	system, a different complexity of the protein could make another tag necessary. In case yo	
	have a special request, please contact us.	
Characteristics:	Key Benefits:	
	 Made in Germany - from design to production - by highly experienced protein experts. Protein expressed with ALICE® and purified by multi-step, protein-specific process to ensure correct folding and modification. These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed). State-of-the-art algorithm used for plasmid design (Gene synthesis). 	
	This protein is a made-to-order protein and will be made for the first time for your order. Our	
	experts in the lab will ensure that you receive a correctly folded protein.	
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom	
	made proteins from other companies is that there is no financial obligation in case the protein	
	cannot be expressed or purified.	
	Expression System:	
	 ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein! 	
	 Concentration: The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein. 	
Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):	
	1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/5 | Product datasheet for ABIN3115696 | 04/16/2024 | Copyright antibodies-online. All rights reserved. capture material. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step
through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and
Western blot.Purity:>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Endotoxin Level:Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)</td>Grade:Crystallography grade

Target Details

900-000	
Target:	SLC27A4
Alternative Name:	SLC27A4 (SLC27A4 Products)
Background:	Long-chain fatty acid transport protein 4 (FATP-4) (Fatty acid transport protein 4)
	(ArachidonateCoA ligase) (EC 6.2.1.15) (Long-chain-fatty-acidCoA ligase) (EC 6.2.1.3) (Solute
	carrier family 27 member 4) (Very long-chain acyl-CoA synthetase 4) (ACSVL4) (EC 6.2.1
),FUNCTION: Mediates the levels of long-chain fatty acids (LCFA) in the cell by facilitating their
	transport across cell membranes (PubMed:10518211, PubMed:12556534, PubMed:20448275,
	PubMed:21395585, PubMed:22022213). Appears to be the principal fatty acid transporter in
	small intestinal enterocytes (PubMed:20448275). Also functions as an acyl-CoA ligase
	catalyzing the ATP-dependent formation of fatty acyl-CoA using LCFA and very-long-chain fatty
	acids (VLCFA) as substrates, which prevents fatty acid efflux from cells and might drive more
	fatty acid uptake (PubMed:22022213, PubMed:24269233). Plays a role in the formation of the
	epidermal barrier. Required for fat absorption in early embryogenesis (By similarity). Probably
	involved in fatty acid transport across the blood barrier (PubMed:21395585). Indirectly inhibits
	RPE65 via substrate competition and via production of VLCFA derivatives like lignoceroyl-CoA.
	Prevents light-induced degeneration of rods and cones (By similarity).
	{ECO:0000250 UniProtKB:Q91VE0, ECO:0000269 PubMed:10518211,
	EC0:0000269 PubMed:12556534, EC0:0000269 PubMed:20448275,
	EC0:0000269 PubMed:21395585, EC0:0000269 PubMed:22022213,
	EC0:0000269 PubMed:24269233}.
Molecular Weight:	72.1 kDa
UniProt:	Q6P1M0
Pathways:	Monocarboxylic Acid Catabolic Process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/5 | Product datasheet for ABIN3115696 | 04/16/2024 | Copyright antibodies-online. All rights reserved.

Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiny Date:	Unlimited (if stored properly)

Expiry Date: Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 5/5 | Product datasheet for ABIN3115696 | 04/16/2024 | Copyright antibodies-online. All rights reserved.