

Datasheet for ABIN3115918

CYP4V2 Protein (AA 1-525) (Strep Tag)**1** Image[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	CYP4V2
Protein Characteristics:	AA 1-525
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CYP4V2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence: MAGLWLGLVW QKLLLWGAAS ALSLAGASLV LSLLQRVASY ARKWQQMRPI PTVARAYPLV
GHALLMKPDG REFFQQIIEY TEEYRHMPLL KLWVGVPVMV ALYNAENVEV ILTSSKQIDK
SSMYKFLEPW LGLGLLTSTG NKWRSRRKML TPTFHFTILE DFLDIMNEQA NILVKKLEKH
INQEAFNCFF YITLCALDII CETAMGKNIG AQSNDDESEYV RAVYRMSEMI FRRIKMPWLW
LDLWYLMFKE GWEHKKSLQI LHTFTNSVIA ERANEMNANE DCRGDGRGSA PSKNKRRAFL
DLLLSVTDDE GNRLSHEDIR EEVDTFMFEG HDTTAAAINW SLYLLGSNPE VQKKVDHELD
DVFGKSDRPA TVEDLKKLRY LECVIKETLR LFPSVPLFAR SVSEDCEVAG YRVLKGTEAV
IIPYALHRDP RYFPNPEEFQ PERFFPENAQ GRHPYAYVPF SAGPRNCIGQ KFAVMEEKTI
LSCILRHFWI ESNQKREELG LEGQLILRPS NGIWIKLKRR NADER

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and

Product Details

Western blot.

Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	CYP4V2
Alternative Name:	CYP4V2 (CYP4V2 Products)
Background:	<p>Cytochrome P450 4V2 (Docosahexaenoic acid omega-hydroxylase CYP4V2) (EC 1.14.14.79) (Long-chain fatty acid omega-monooxygenase) (EC 1.14.14.80),FUNCTION: A cytochrome P450 monooxygenase involved in fatty acid metabolism in the eye. Catalyzes the omega-hydroxylation of polyunsaturated fatty acids (PUFAs) docosahexaenoate (DHA) and its precursor eicosapentaenoate (EPA), and may contribute to the homeostasis of these retinal PUFAs (PubMed:22772592). Omega hydroxylates saturated fatty acids such as laurate, myristate and palmitate, the catalytic efficiency decreasing in the following order: myristate > laurate > palmitate (C14>C12>C16) (PubMed:19661213). Mechanistically, uses molecular oxygen inserting one oxygen atom into a substrate, and reducing the second into a water molecule, with two electrons provided by NADPH via cytochrome P450 reductase (CPR, NADPH-ferrihemoprotein reductase). {ECO:0000269 PubMed:19661213, ECO:0000269 PubMed:22772592}.</p>
Molecular Weight:	60.7 kDa
UniProt:	Q6ZWL3

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for</p>

Application Details

protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process