# antibodies .- online.com





# TRPM1 Protein (AA 1-1603) (rho-1D4 tag)





Go to Product page

## Overview

Quantity:	1 mg
Target:	TRPM1
Protein Characteristics:	AA 1-1603
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRPM1 protein is labelled with rho-1D4 tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys), ELISA

### **Product Details**

Sequence:

MKDSNRCCCG QFTNQHIPPL PSATPSKNEE ESKQVETQPE KWSVAKHTQS YPTDSYGVLE FQGGGYSNKA MYIRVSYDTK PDSLLHLMVK DWQLELPKLL ISVHGGLQNF EMQPKLKQVF GKGLIKAAMT TGAWIFTGGV STGVISHVGD ALKDHSSKSR GRVCAIGIAP WGIVENKEDL VGKDVTRVYQ TMSNPLSKLS VLNNSHTHFI LADNGTLGKY GAEVKLRRLL EKHISLQKIN TRLGQGVPLV GLVVEGGPNV VSIVLEYLQE EPPIPVVICD GSGRASDILS FAHKYCEEGG IINESLREQL LVTIQKTFNY NKAQSHQLFA IIMECMKKKE LVTVFRMGSE GQQDIEMAIL TALLKGTNVS APDQLSLALA WNRVDIARSQ IFVFGPHWPP LGSLAPPTDS KATEKEKKPP MATTKGGRGK GKGKKKGKVK EEVEEETDPR KIELLNWVNA LEQAMLDALV LDRVDFVKLL IENGVNMQHF LTIPRLEELY NTRLGPPNTL HLLVRDVKKS NLPPDYHISL IDIGLVLEYL MGGAYRCNYT RKNFRTLYNN LFGPKRPKAL KLLGMEDDEP PAKGKKKKKK KKEEEIDIDV DDPAVSRFQY PFHELMVWAV LMKRQKMAVF LWQRGEESMA KALVACKLYK AMAHESSESD LVDDISQDLD NNSKDFGQLA LELLDQSYKH DEQIAMKLLT YELKNWSNST CLKLAVAAKH

RDFIAHTCSQ MLLTDMWMGR LRMRKNPGLK VIMGILLPPT ILFLEFRTYD DFSYQTSKEN EDGKEKEEEN TDANADAGSR KGDEENEHKK QRSIPIGTKI CEFYNAPIVK FWFYTISYLG YLLLFNYVIL VRMDGWPSLQ EWIVISYIVS LALEKIREIL MSEPGKLSQK IKVWLQEYWN ITDLVAISTF MIGAILRLQN QPYMGYGRVI YCVDIIFWYI RVLDIFGVNK YLGPYVMMIG KMMIDMLYFV VIMLVVLMSF GVARQAILHP EEKPSWKLAR NIFYMPYWMI YGEVFADQID LYAMEINPPC GENLYDEEGK RLPPCIPGAW LTPALMACYL LVANILLVNL LIAVFNNTFF EVKSISNQVW KFQRYQLIMT FHDRPVLPPP MIILSHIYII IMRLSGRCRK KREGDQEERD RGLKLFLSDE ELKRLHEFEE QCVQEHFREK EDEQQSSSDE RIRVTSERVE NMSMRLEEIN ERETFMKTSL QTVDLRLAQL EELSNRMVNA LENLAGIDRS DLIQARSRAS SECEATYLLR QSSINSADGY SLYRYHFNGE ELLFEDTSLS TSPGTGVRKK TCSFRIKEEK DVKTHLVPEC QNSLHLSLGT STSATPDGSH LAVDDLKNAE ESKLGPDIGI SKEDDERQTD SKKEETISPS LNKTDVIHGQ DKSDVQNTQL TVETTNIEGT ISYPLEETKI TRYFPDETIN ACKTMKSRSF VYSRGRKLVG GVNQDVEYSS ITDQQLTTEW QCQVQKITRS HSTDIPYIVS EAAVQAEHKE QFADMQDEHH VAEAIPRIPR LSLTITDRNG MENLLSVKPD QTLGFPSLRS KSLHGHPRNV KSIQGKLDRS GHASSVSSLV IVSGMTAEEK KVKKEKASTE TEC

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- · Made in Germany from design to production by highly experienced protein experts.
- Human TRPM1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its


## **Product Details**

Froduct Details	
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Three step purification of membrane proteins expressed in baculovirus infected SF9 insect
	cells:
	1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
	<ol><li>The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.</li></ol>
	Protein containing fractions of the best purification are subjected to second purification step.
	through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin-free.
Grade:	Crystallography grade
Target Details	
Target:	TRPM1
Alternative Name:	TRPM1 (TRPM1 Products)
Background:	Cation channel essential for the depolarizing photoresponse of retinal ON bipolar cells. It is part
	of the GRM6 signaling cascade. May play a role in metastasis suppression (By similarity). May
	act as a spontaneously active, calcium-permeable plasma membrane channel. {ECO:0000250,
	ECO:0000269 PubMed:11535825, ECO:0000269 PubMed:19878917,
	ECO:0000269 PubMed:19896109}.
Molecular Weight:	183.4 kDa Including tag.
UniProt:	Q7Z4N2
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee

# **Application Details**

Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

## Images



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process