



[Go to Product page](#)

Datasheet for ABIN3116138

NHEDC2 Protein (AA 1-537) (Strep Tag)

1 Image

Overview

Quantity:	1 mg
Target:	NHEDC2
Protein Characteristics:	AA 1-537
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This NHEDC2 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence: MGDEDKRITY EDSEPSTGMN YTPSMHQEAQ EETVMKCLKGI DANEPTEGSI LLKSSEKLLQ
ETPTEANHVQ RLRQMLACPP HGLLDRVITN VTIIVLLWAV VWSITGSECL PGGNLFGI
LFYCAIIGGK LLGLIKLPTL PPLPSLLGML LAGFLIRNIP VINDNVQIKH KWSSSLRSIA LSIIIVRAGL
GLDSKALKKL KGVCVRLSMG PCIVEACTSA LLAHYLLGLP WQWGFILGFV LGAVSPAVV
PSMLLLQGGG YGVEKGVPTL LMAAGSFDDI LAITGFNTCL GIAFSTGSTV FNVLRGVLEV
VIGVATGSVL GFFIQYFPSR DQDKLVCKRT FLVLGLSVLA VFSSVHFGFP GSGGLCTLVM
AFLAGMGWTS EKAEVEKIIA VAWDIFQPLL FGLIGAEVSI ASLRPETVGL CVATVGI AVL
IRILTTFLMV CFAGFNLKEK IFISFAWLPK ATVQAAIGSV ALDTARSHGE KQLEDYGMDV
LTVAFLSILI TAPIGSLIG LLGPRLQKV EHQNKDEEVQ GETSVQV

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and

Product Details

Western blot.

Purity: >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Grade: Crystallography grade

Target Details

Target: NHEDC2

Alternative Name: SLC9B2 ([NHEDC2 Products](#))

Background: Sodium/hydrogen exchanger 9B2 (Na(+)/H(+) exchanger NHA2) (Na(+)/H(+) exchanger-like domain-containing protein 2) (NHE domain-containing protein 2) (Sodium/hydrogen exchanger-like domain-containing protein 2) (Solute carrier family 9 subfamily B member 2),FUNCTION: Electroneutral Na(+) Li(+)/H(+) antiporter that extrudes Na(+) or Li(+) in exchange for external protons across the membrane (PubMed:18000046, PubMed:28154142, PubMed:22948142, PubMed:18508966, PubMed:36177733). Uses the proton gradient/membrane potential to extrude sodium (PubMed:22948142). Contributes to the regulation of intracellular pH and sodium homeostasis (By similarity). Also able to mediate Na(+)/Li(+) antiporter activity in kidney (PubMed:22948142). May play a physiological role in renal tubular function and blood pressure homeostasis (By similarity). Plays an important role for insulin secretion and clathrin-mediated endocytosis in beta-cells (By similarity). Involved in sperm motility and fertility (By similarity). It is controversial whether SLC9B2 plays a role in osteoclast differentiation or not (By similarity). {ECO:0000250|UniProtKB:Q5BKR2, ECO:0000269|PubMed:18000046, ECO:0000269|PubMed:18508966, ECO:0000269|PubMed:22948142, ECO:0000269|PubMed:28154142, ECO:0000269|PubMed:36177733}.

Molecular Weight: 57.6 kDa

UniProt: [Q86UD5](#)

Pathways: [Proton Transport](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Application Details

Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process