

Datasheet for ABIN3116282

CALHM1 Protein (AA 1-346) (Strep Tag)



Go to Product page

_					
	W	0	rv	10	W

Quantity:	250 μg
Target:	CALHM1
Protein Characteristics:	AA 1-346
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CALHM1 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Product Details	
Brand:	AliCE®
Sequence:	MMDKFRMIFQ FLQSNQESFM NGICGIMALA SAQMYSAFDF NCPCLPGYNA AYSAGILLAP
	PLVLFLLGLV MNNNVSMLAE EWKRPLGRRA KDPAVLRYMF CSMAQRALIA PVVWVAVTLL
	DGKCFLCAFC TAVPVSALGN GSLAPGLPAP ELARLLARVP CPEIYDGDWL LAREVAVRYL
	RCISQALGWS FVLLTTLLAF VVRSVRPCFT QAAFLKSKYW SHYIDIERKL FDETCTEHAK
	AFAKVCIQQF FEAMNHDLEL GHTHGTLATA PASAAAPTTP DGAEEEREKL RGITDQGTMN
	RLLTSWHKCK PPLRLGQEEP PLMGNGWAGG GPRPPRKEVA TYFSKV
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	CALHM1

Target Details

Alternative Name:	CALHM1 (CALHM1 Products)
Background:	Calcium homeostasis modulator protein 1 (Protein FAM26C),FUNCTION: Pore-forming subunit
	of a voltage-gated ion channel required for sensory perception of sweet, bitter and umami
	tastes (By similarity). Specifically present in type II taste bud cells, where it plays a central role
	in sweet, bitter and umami taste perception by inducing ATP release from the cell, ATP acting
	as a neurotransmitter to activate afferent neural gustatory pathways (By similarity). Together
	with CALHM3, forms a fast-activating voltage-gated ATP-release channel in type II taste bud
	cells (TBCs) (By similarity). Acts both as a voltage-gated and calcium-activated ion channel:
	mediates neuronal excitability in response to changes in extracellular Ca(2+) concentration
	(PubMed:22711817, PubMed:23300080). Has poor ion selectivity and forms a wide pore
	(around 14 Angstroms) that mediates permeation of Ca(2+), Na(+) and K(+), as well as
	permeation of monovalent anions (PubMed:22711817). Acts as an activator of the ERK1 and
	ERK2 cascade (PubMed:23345406). Triggers endoplasmic reticulum stress by reducing the
	calcium content of the endoplasmic reticulum (PubMed:21574960). May indirectly control
	amyloid precursor protein (APP) proteolysis and aggregated amyloid-beta (Abeta) peptides
	levels in a Ca(2+) dependent manner (PubMed:18585350). {ECO:0000250 UniProtKB:D3Z291,
	ECO:0000269 PubMed:18585350, ECO:0000269 PubMed:21574960,
	ECO:0000269 PubMed:22711817, ECO:0000269 PubMed:23300080,
	ECO:0000269 PubMed:23345406}.
Molecular Weight:	38.3 kDa
UniProt:	Q8IU99
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	released to produce
	even the most difficult-to-express proteins, including those that require post-translational
	even the most difficult-to-express proteins, including those that require post-translational
	even the most difficult-to-express proteins, including those that require post-translational modifications.
	even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for

Application Details

	something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months