

Datasheet for ABIN3116696

TRPV1 Protein (AA 1-839) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	TRPV1
Protein Characteristics:	AA 1-839
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRPV1 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Brand:	AliCE®
Sequence:	<p>MKKWSSTDLG AAADPLQKDT CPDPLDGPDPN SRPPPAKPQL STAKSRTLRF GKGDSEEAFF</p> <p>VDCPHEEGEL DSCPTITVSP VITIQRPGDG PTGARLLSQD SVAASTEKTL RLYDRRSIFE</p> <p>AVAQNNCQDL ELLLLFLQKS KKHLTDNEFK DPETGKTCLL KAMLNLDHGQ NTTIPLLEI</p> <p>ARQTDLSKEL VNASYTDSYY KGQTALHIAI ERRNMALVTL LVENGADVQA AAHGDFFKKT</p> <p>KGRPGFYFGE LPLSLAACTN QLGIVKFLQ NSWQTADISA RDSVGNTVLH ALVEVADNTA</p> <p>DNTKFVTSMY NEILMLGAKL HPTLKLEELT NKKGMTPLAL AAGTGKIGVL AYILQREIQE</p> <p>PECRHLRKF TEWAYGPVHS SLYDLSCIDT CEKNSVLEVI AYSSSETPNR HDMLLVEPLN</p> <p>RLLQDKWDRF VKRIFYFNFL VYCLYMIIFT MAAYYRPVDG LPPFKMEKTG DYFRVTGEIL</p> <p>SVLGGVYFFF RGIQYFLQRR PSMKTLFVDS YSEMLFFLQS LFMLATVVLY FSHLKEYVAS</p> <p>MVFSALGWT NMLYYTRGFQ QMGYAVMIE KMILRDLCRF MFVYIVFLFG FSTAVVTLIE</p> <p>DGKNDSLPE STSHRWGPA CRPPDSSYNS LYSTCLELFK FTIGMGDLEF TENYDFKAVF</p>

IILLLAYVIL TYILLLNMLI ALMGETVNKI AQESKNIWKL QRAITILDTE KSFLKCMRKA
FRSGKLLQVG YTPDGKDDYR WCFRVDEVNW TTWNTNVGII NEDPGNCEGV KRTLSFSLRS
SRVSGRHWKN FALVPLLREA SARDRQSAQP EEVYLRQFSG SLKPEDAEVF KSPAASGEK

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression

Product Details

	System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	TRPV1
Alternative Name:	TRPV1 (TRPV1 Products)
Background:	<p>Transient receptor potential cation channel subfamily V member 1 (TrpV1) (Capsaicin receptor) (Osm-9-like TRP channel 1) (OTRPC1) (Vanilloid receptor 1),FUNCTION: Ligand-activated non-selective calcium permeant cation channel involved in detection of noxious chemical and thermal stimuli. Seems to mediate proton influx and may be involved in intracellular acidosis in nociceptive neurons. Involved in mediation of inflammatory pain and hyperalgesia. Sensitized by a phosphatidylinositol second messenger system activated by receptor tyrosine kinases, which involves PKC isozymes and PCL. Activation by vanilloids, like capsaicin, and temperatures higher than 42 degrees Celsius, exhibits a time- and Ca(2+)-dependent outward rectification, followed by a long-lasting refractory state. Mild extracellular acidic pH (6.5) potentiates channel activation by noxious heat and vanilloids, whereas acidic conditions (pH <6) directly activate the channel. Can be activated by endogenous compounds, including 12-hydroperoxytetraenoic acid and bradykinin. Acts as ionotropic endocannabinoid receptor with central neuromodulatory effects. Triggers a form of long-term depression (TRPV1-LTD) mediated by the endocannabinoid anandamine in the hippocampus and nucleus accumbens by affecting AMPA receptors endocytosis. {ECO:0000250 UniProtKB:O35433, ECO:0000269 PubMed:11050376, ECO:0000269 PubMed:11226139, ECO:0000269 PubMed:11243859, ECO:0000269 PubMed:12077606}.</p>
Molecular Weight:	95.0 kDa
UniProt:	Q8NER1
Pathways:	Dicarboxylic Acid Transport

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
--------------------	--

Application Details

Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
----------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Buffer:	<p>The buffer composition is at the discretion of the manufacturer.</p> <p>Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.</p>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months