

Datasheet for ABIN3116711

LPCAT1 Protein (AA 1-534) (Strep Tag)



[Go to Product page](#)

Overview

| | |
|-------------------------------|---|
| Quantity: | 250 µg |
| Target: | LPCAT1 |
| Protein Characteristics: | AA 1-534 |
| Origin: | Human |
| Source: | Cell-free protein synthesis (CFPS) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This LPCAT1 protein is labelled with Strep Tag. |
| Application: | SDS-PAGE (SDS), Western Blotting (WB), ELISA |

Product Details

| | |
|-----------|---|
| Brand: | AliCE® |
| Sequence: | <p>MRLRGCGPRA APASSAGASD ARLLAPPGRN PFVHELRLSA LQKAQVALMT LTLFPVRLLV AAAMMLLAWP LALVASLGSA EKEPEQPPAL WRKVVDLLK AIMRTMWFAG GFHRVAVKGR QALPTEAAIL TLAPHSSYFD AIPVTMTMSS IVMKAESRDI PIWGTLIQYI RPFVFSRSDQ DSRRKTVEEI KRRAQSNQKW PQIMIFPEGT CTNRTCLITF KPGAFIPGAP VQPVVLRYPN KLDITWTWQ GPGALEILWL TLCQFHNQVE IEFLPVYSPS EEEKRNPALY ASNVRRVMAE ALGVSVDYDT FEDCQLALAE GQLRLPADTC LLEFARLVRG LGLKPEKLEK DLDRYSERAR MKGGEKIGIA EFAASLEVPV SDLLEDMFSL FDESGSGEVD LRECVVALSV VCRPARTLDT IQLAFKMYGA QEDGSVGEED LSCILKTALG VAELTVTDLF RAIDQEEKGK ITFADFHRFA EMYPFAEEY LYPDQTHFES CAETSPAPIP NGFCADFSPE NSDAGRKPVR KKLD</p> <p>Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you</p> |

have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Purity:

> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade:

custom-made

Target Details

| | |
|-------------------|---|
| Target: | LPCAT1 |
| Alternative Name: | LPCAT1 (LPCAT1 Products) |
| Background: | <p>Lysophosphatidylcholine acyltransferase 1 (LPC acyltransferase 1) (LPCAT-1) (LysoPC acyltransferase 1) (EC 2.3.1.23) (1-acylglycerol-3-phosphate O-acyltransferase) (EC 2.3.1.51) (1-acylglycerophosphocholine O-acyltransferase) (1-alkenylglycerophosphocholine O-acyltransferase) (EC 2.3.1.25) (1-alkylglycerophosphocholine O-acetyltransferase) (EC 2.3.1.67) (Acetyl-CoA:lyso-platelet-activating factor acetyltransferase) (Acetyl-CoA:lyso-PAF acetyltransferase) (Lyso-PAF acetyltransferase) (LysoPAFAT) (Acyltransferase-like 2) (Phosphonoformate immuno-associated protein 3),FUNCTION: Exhibits acyltransferase activity (PubMed:21498505, PubMed:18156367). Exhibits acetyltransferase activity (By similarity). Activity is calcium-independent (By similarity). Catalyzes the conversion of lysophosphatidylcholine (1-acyl-sn-glycero-3-phosphocholine or LPC) into phosphatidylcholine (1,2-diacyl-sn-glycero-3-phosphocholine or PC) (PubMed:21498505, PubMed:18156367). Catalyzes the conversion 1-acyl-sn-glycerol-3-phosphate (lysophosphatidic acid or LPA) into 1,2-diacyl-sn-glycerol-3-phosphate (phosphatidic acid or PA) by incorporating an acyl moiety at the sn-2 position of the glycerol backbone (By similarity). Displays a clear preference for saturated fatty acyl-CoAs, and 1-myristoyl or 1-palmitoyl LPC as acyl donors and acceptors, respectively (By similarity). Involved in platelet-activating factor (PAF) biosynthesis by catalyzing the conversion of the PAF precursor, 1-O-alkyl-sn-glycero-3-phosphocholine (lyso-PAF) into 1-O-alkyl-2-acetyl-sn-glycero-3-phosphocholine (PAF) (By similarity). May synthesize phosphatidylcholine in pulmonary surfactant, thereby playing a pivotal role in respiratory physiology (By similarity). Involved in the regulation of lipid droplet number and size (PubMed:25491198). {ECO:0000250 UniProtKB:Q3TFD2, ECO:0000269 PubMed:18156367, ECO:0000269 PubMed:21498505, ECO:0000269 PubMed:25491198}.</p> |
| Molecular Weight: | 59.2 kDa |
| UniProt: | Q8NF37 |

Application Details

| | |
|--------------------|--|
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. |
| Comment: | ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce |

Application Details

even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

| | |
|------------------|--|
| Format: | Liquid |
| Buffer: | The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | 12 months |