

Datasheet for ABIN3116881

## RNF128 Protein (AA 39-428) (rho-1D4 tag)



[Go to Product page](#)

### Overview

Quantity:	1 mg
Target:	RNF128
Protein Characteristics:	AA 39-428
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RNF128 protein is labelled with rho-1D4 tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

### Product Details

Sequence: AEA VWTAYLN VSWRVPHTGV NRTVWELSEE GVGQDSPLE PVAGVLVPPD GPGALNACNP  
HTNFTVPTVW GSTVQVSWLA LIQRGGGCTF ADKIH LAYER GASGAVIFNF PGTRNEVIPM  
SHPGAVDIVA IMIGNLKGTK ILQSIQRGIQ VTMVIEVGKK HGPWVNHYSI FFVSVSFFII  
TAATVGYFIF YSARRLRNAR AQRKQRQLK ADAKKAIGRL QLRTLKQGDK EIGPDGDSCA  
VCIELYKPND LVRILTCNHI FHKTCVDPWL LEHRTCPMCK CDILKALGIE VDVEDGSVSL  
QVPVSNEISN SASSHEEDNR SETASSGYAS VQGTDEPPLE EHVQSTNESL QLVNHEANSV  
AVDVIPHVDN PTFEEDETPN QETAVREIKS

**Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.**

- Characteristics:
- Made in Germany - from design to production - by highly experienced protein experts.
  - Human RNF128 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.

- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:	Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:  <ol style="list-style-type: none"><li>1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.</li><li>2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.</li><li>3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li></ol>
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin-free.
Grade:	Crystallography grade

## Target Details

Target:	RNF128
Alternative Name:	RNF128 ( <a href="#">RNF128 Products</a> )
Background:	E3 ubiquitin-protein ligase that catalyzes 'Lys-48'- and 'Lys-63'-linked polyubiquitin chains formation. Functions as an inhibitor of cytokine gene transcription. Inhibits IL2 and IL4 transcription, thereby playing an important role in the induction of the anergic phenotype, a long-term stable state of T-lymphocyte unresponsiveness to antigenic stimulation associated with the blockade of interleukin production. Ubiquitinates ARPC5 with 'Lys-48' linkages and COR1A with 'Lys-63' linkages leading to their degradation, down-regulation of these cytoskeletal components results in impaired lamellipodium formation and reduced accumulation of F-actin at the immunological synapse. Functions in the patterning of the dorsal ectoderm, sensitizes ectoderm to respond to neural-inducing signals. {ECO:0000269 PubMed:12705856, ECO:0000269 PubMed:22016387}.
Molecular Weight:	43.9 kDa Including tag.
UniProt:	<a href="#">Q8TEB7</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

## Handling

---

Expiry Date: Unlimited (if stored properly)