

Datasheet for ABIN3116882
RHBDD1 Protein (AA 1-315) (Strep Tag)



[Go to Product page](#)

Overview

| | |
|-------------------------------|---|
| Quantity: | 250 µg |
| Target: | RHBDD1 |
| Protein Characteristics: | AA 1-315 |
| Origin: | Human |
| Source: | Cell-free protein synthesis (CFPS) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This RHBDD1 protein is labelled with Strep Tag. |
| Application: | ELISA, SDS-PAGE (SDS), Western Blotting (WB) |

Product Details

| | |
|------------------|---|
| Brand: | AliCE® |
| Sequence: | <p>MQRRSRGINT GLILLLSQIF HVGINNIPPV TLATLALNIW FFLNPQKPLY SSCLSVEKCY QQKDWQRLLL SPLHHADDWH LYFNMASMLW KGINLERRLG SRWFAYVITA FSVLTGVVYL LLQFAVAEFM DEPDFKRSCA VGFSGVLFAL KVLNNHYCPG GFVNILGFPV PNRFACWVEL VAIHLFSPGT SFAGHLAIGL VGLMYTQGPL KKIMEACAGG FSSSVGYPR QYYFNSSGSS GYQDYYPHGR PDHYEEAPRN YDTYTAGLSE EEQLERALQA SLWDRGNTRN SPPPYGFHLS PEEMRRQLRH RFDSQ</p> <p>Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</p> |
| Characteristics: | Key Benefits: |

Product Details

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

| | |
|---------------|--|
| Purification: | One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®). |
| Purity: | > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC). |
| Grade: | custom-made |

Target Details

| | |
|---------|--------|
| Target: | RHBDD1 |
|---------|--------|

Target Details

Alternative Name: [RHBDD1 \(RHBDD1 Products\)](#)

Background: Rhomboid-related protein 4 (RRP4) (EC 3.4.21.105) (Rhomboid domain-containing protein 1) (Rhomboid-like protein 4),FUNCTION: Intramembrane-cleaving serine protease that cleaves single transmembrane or multi-pass membrane proteins in the hydrophobic plane of the membrane, luminal loops and juxtamembrane regions. Involved in regulated intramembrane proteolysis and the subsequent release of functional polypeptides from their membrane anchors. Functional component of endoplasmic reticulum-associated degradation (ERAD) for misfolded membrane proteins. Required for the degradation process of some specific misfolded endoplasmic reticulum (ER) luminal proteins. Participates in the transfer of misfolded proteins from the ER to the cytosol, where they are destroyed by the proteasome in a ubiquitin-dependent manner. Functions in BIK, MPZ, PKD1, PTCRA, RHO, STEAP3 and TRAC processing. Involved in the regulation of exosomal secretion, inhibits the TSAP6-mediated secretion pathway. Involved in the regulation of apoptosis, modulates BIK-mediated apoptotic activity. Also plays a role in the regulation of spermatogenesis, inhibits apoptotic activity in spermatogonia. {ECO:0000269|PubMed:18953687, ECO:0000269|PubMed:22624035}.

Molecular Weight: 35.8 kDa

UniProt: [Q8TEB9](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

| | |
|------------------|--|
| Format: | Liquid |
| Buffer: | The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | 12 months |