

Datasheet for ABIN3116967

SLC13A3 Protein (AA 1-602) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	SLC13A3
Protein Characteristics:	AA 1-602
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC13A3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Brand:	AlIcE®
Sequence:	MAALAAAACK VWSARRLLVL LFTPLALLPV VFALPPKEGR CLFVILLMAV YWCTEALPLS VTALLPIVLF PFMGILPSNK VCPQYFLDTN FLFLSGLIMA SAIEEWNLHR RIALKILMLV GVQPARLILG MMVTTSFLSM WLSNTASTAM MLPIANAILK SLFGQKEVRK DPSQESEENT AAVRRNGLHT VPTMQFLAS TEAKDHPGET EVPLDLPADS RKEDEYRRNI WKGFLISIPY SASIGGTATL TGTAPNLILL GQLKSFFPQC DVNFGSWFI FAFPLMLLFL LAGWLWISFL YGGLSFRGWR KNKSEIRTNA EDRARAVIRE EYQNLGPIKF AEQAVFILFC MFAILLFTRD PKFIPGWASL FNPGLSDAV TGVAIVTILF FFPSQRPSLK WWFDKAPNT ETEPLLTWKK AQETVPWNII LLLGGGFAMA KGCEESGLSV WIGGQLHPLE NVPPALAVLL ITVIAFFTE FASNTATIII FLPVLAELAI RLRVHPLYLM IPGTVGCSFA FMLPVSTPPN SIAFASGHLL VKDMVRTGLL MNLMGVLLLS LAMNTWAQTI FQLGTFFDWA DMYSVNV TAL PPTLANDTFR TL Sequence without tag. The proposed Strep-Tag is based on experience s with the expression

system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Purity:

> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade:

custom-made

Target Details

Target:	SLC13A3
Alternative Name:	SLC13A3 (SLC13A3 Products)
Background:	<p>Na(+)/dicarboxylate cotransporter 3 (NaDC-3) (hNaDC3) (Na(+)-coupled carboxylate transporter 3) (NaC3) (Sodium-dependent high-affinity dicarboxylate transporter 2) (Solute carrier family 13 member 3) (SLC13A3),FUNCTION: High-affinity sodium-dicarboxylate cotransporter that accepts a range of substrates with 4-6 carbon atoms, such as the citric acid cycle intermediates succinate and alpha-ketoglutarate (2-oxoglutarate), as well as other compounds including N-acetyl-L-aspartate (PubMed:10794676, PubMed:10992006, PubMed:15561973, PubMed:17426067, PubMed:17356845, PubMed:24247155, PubMed:30635937). Transports the dicarboxylate into the cell with a probable stoichiometry of 3 Na(+) for 1 divalent dicarboxylate, rendering the process electrogenic (PubMed:10794676, PubMed:10992006). Can transport citrate in a Na(+)-dependent manner, recognizing the divalent form of citrate rather than the trivalent form which is normally found in blood (PubMed:10794676). {ECO:0000269 PubMed:10794676, ECO:0000269 PubMed:10992006, ECO:0000269 PubMed:15561973, ECO:0000269 PubMed:17356845, ECO:0000269 PubMed:17426067, ECO:0000269 PubMed:24247155, ECO:0000269 PubMed:30635937}.</p>
Molecular Weight:	66.8 kDa
UniProt:	Q8WWT9
Pathways:	Dicarboxylic Acid Transport

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce</p>

Application Details

something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months