

Datasheet for ABIN3117039

SLC7A6 Protein (AA 1-515) (Strep Tag)**1** Image[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	SLC7A6
Protein Characteristics:	AA 1-515
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC7A6 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence: MEAREPGRPT PTYHLVPNTS QSQVEEDVSS PPQRSSETMQ LKKEISLLNG VSLVVGNMIG
SGIFVSPKGV LVHTASYGMS LIVWAIGGLF SVVGALCYAE LGTTITKSGA SYAYILEAFG
GFIAFIRLWV SLLVVEPTGQ AIIAITFANY IIQPSFSPCD PPYLACRLLA AACICLLTFV
NCAYVKWGTR VQDTFTYAKV VALIAIVMG LVKLCQGHSE HFQDAFEGSS WDMGNLSLAL
YSALFSYSGW DTLNFVTEEI KNPERNLPLA IGISMPIVTL IYILTNAVYY TVLNISDVLS
SDAVAVTFAD QTFGMFSWTI PIAVALSCFG GLNASIFASS RLFFVGSREG HLPDLLSMIH
IERFTPIPAL LFNCTMALIY LIVEDVFQLI NYFSFSYWFF VGLSVVGQLY LRWKEPKRPR
PLKLSVFFPI VFCICSVFLV IVPLFTDTIN SLIGIGIALS GVPFYFMGVY LPESRRPLFI RNVLAAITRG
TQQLCFCVLT ELDVAEEKKD ERKTD

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and

Product Details

Western blot.

Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	SLC7A6
Alternative Name:	SLC7A6 (SLC7A6 Products)
Background:	<p>Y+L amino acid transporter 2 (Cationic amino acid transporter, y+ system) (Solute carrier family 7 member 6) (y(+)-L-type amino acid transporter 2) (Y+LAT2) (y+LAT-2),FUNCTION: Heterodimer with SLC3A2, that functions as an antiporter which operates as an efflux route by exporting cationic amino acids such as L-arginine from inside the cells in exchange with neutral amino acids like L-leucine, L-glutamine and isoleucine, plus sodium ions and may participate in nitric oxide synthesis (PubMed:9829974, PubMed:10903140, PubMed:16785209, PubMed:31705628, PubMed:15756301, PubMed:11311135, PubMed:17329401, PubMed:14603368, PubMed:19562367). Also exchanges L-arginine with L-lysine in a sodium-independent manner (PubMed:10903140). The transport mechanism is electroneutral and operates with a stoichiometry of 1:1 (PubMed:10903140). Contributes to ammonia-induced increase of L-arginine uptake in cerebral cortical astrocytes leading to ammonia-dependent increase of nitric oxide (NO) production via inducible nitric oxide synthase (iNOS) induction, and protein nitration (By similarity). May mediate transport of ornithine in retinal pigment epithelial (RPE) cells (PubMed:17197568). May also transport glycine betaine in a sodium dependent manner from the cumulus granulosa into the enclosed oocyte (By similarity).</p> <p>{ECO:0000250 UniProtKB:D3ZMM8, ECO:0000250 UniProtKB:Q8BGK6, ECO:0000269 PubMed:10903140, ECO:0000269 PubMed:11311135, ECO:0000269 PubMed:14603368, ECO:0000269 PubMed:15756301, ECO:0000269 PubMed:16785209, ECO:0000269 PubMed:17197568, ECO:0000269 PubMed:17329401, ECO:0000269 PubMed:19562367, ECO:0000269 PubMed:31705628, ECO:0000269 PubMed:9829974}.</p>
Molecular Weight:	56.8 kDa
UniProt:	Q92536

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
--------------------	--

Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
----------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process