

Datasheet for ABIN3117057

LPGAT1 Protein (AA 1-370) (Strep Tag)



Overview

Quantity:	250 μg
Target:	LPGAT1
Protein Characteristics:	AA 1-370
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This LPGAT1 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Brand:	AliCE®
Sequence:	MAITLEEAPW LGWLLVKALM RFAFMVVNNL VAIPSYICYV IILQPLRVLD SKRFWYIEGI
	MYKWLLGMVA SWGWYAGYTV MEWGEDIKAV SKDEAVMLVN HQATGDVCTL MMCLQDKGLV
	VAQMMWLMDH IFKYTNFGIV SLVHGDFFIR QGRSYRDQQL LLLKKHLENN YRSRDRKWIV
	LFPEGGFLRK RRETSQAFAK KNNLPFLTNV TLPRSGATKI ILNALVAQQK NGSPAGGDAK
	ELDSKSKGLQ WIIDTTIAYP KAEPIDIQTW ILGYRKPTVT HVHYRIFPIK DVPLETDDLT
	TWLYQRFVEK EDLLSHFYET GAFPPSKGHK EAVSREMTLS NLWIFLIQSF AFLSGYMWYN
	IIQYFYHCLF
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	LPGAT1

Target Details

Alternative Name:	LPGAT1 (LPGAT1 Products)
Background:	Acyl-CoA:lysophosphatidylglycerol acyltransferase 1 (2-acylglycerophosphocholine O-acyltransferase) (EC 2.3.1.62) (Acyl-CoA:monoacylglycerol acyltransferase LPGAT1) (EC
	2.3.1.22) (Lysophospholipid acyltransferase 7) (LPLAT7) (EC 2.3.1) (Stearoyl-CoA:1-lyso-2-
	acyl-PE acyltransferase),FUNCTION: Lysophospholipid acyltransferase involved in fatty acyl
	chain remodeling of glycerophospholipids in the endoplasmic reticulum membrane (By
	similarity). Selectively catalyzes the transfer and esterification of saturated long-chain fatty
	acids from acyl-CoA to the sn-1 position of 1-lyso-2-acyl phosphatidylethanolamines (1-lyso-PE
	LPE), with a preference for stearoyl CoA over palmitoyl CoA as acyl donor (PubMed:36049524).
	Acts in concert with an unknown phospholipase A1 to convert palmitate
	phosphatidylethanolamine (PE) species into stearate ones. Provides substrates to the PE
	methylation pathway, controlling stearate/palmitate composition of PE and
	phosphatidylcholine (PC) species with an overall impact on de novo hepatic lipid synthesis,
	body fat content and life span (By similarity). Can acylate lysophosphatidylglycerols (LPG) using
	various saturated fatty acyl-CoAs as acyl donors (PubMed:15485873). Can also acylate
	monoacylglycerols with a preference for 2-monoacylglycerols over 1-monoacylglycerols (By
	similarity). Has no activity toward lysophosphatidic acids (LPA) (By similarity).
	{ECO:0000250 UniProtKB:Q91YX5, ECO:0000269 PubMed:15485873,
	ECO:0000269 PubMed:36049524}.
Molecular Weight:	43.1 kDa
UniProt:	Q92604
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional

Application Details

	something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months