antibodies .- online.com





EXT2 Protein (AA 1-718) (Strep Tag)



Overview

Quantity:	1 mg
Target:	EXT2
Protein Characteristics:	AA 1-718
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This EXT2 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), ELISA, SDS-PAGE (SDS)

Product Details

Sequence:

MCASVKYNIR GPALIPRMKT KHRIYYITLF SIVLLGLIAT GMFQFWPHSI ESSNDWNVEK
RSIRDVPVVR LPADSPIPER GDLSCRMHTC FDVYRCGFNP KNKIKVYIYA LKKYVDDFGV
SVSNTISREY NELLMAISDS DYYTDDINRA CLFVPSIDVL NQNTLRIKET AQAMAQLSRW
DRGTNHLLFN MLPGGPPDYN TALDVPRDRA LLAGGGFSTW TYRQGYDVSI PVYSPLSAEV
DLPEKGPGPR QYFLLSSQVG LHPEYREDLE ALQVKHGESV LVLDKCTNLS EGVLSVRKRC
HKHQVFDYPQ VLQEATFCVV LRGARLGQAV LSDVLQAGCV PVVIADSYIL PFSEVLDWKR
ASVVVPEEKM SDVYSILQSI PQRQIEEMQR QARWFWEAYF QSIKAIALAT LQIINDRIYP
YAAISYEEWN DPPAVKWGSV SNPLFLPLIP PQSQGFTAIV LTYDRVESLF RVITEVSKVP
SLSKLLVVWN NQNKNPPEDS LWPKIRVPLK VVRTAENKLS NRFFPYDEIE TEAVLAIDDD
IIMLTSDELQ FGYEVWREFP DRLVGYPGRL HLWDHEMNKW KYESEWTNEV SMVLTGAAFY
HKYFNYLYTY KMPGDIKNWV DAHMNCEDIA MNFLVANVTG KAVIKVTPRK KFKCPECTAI
DGLSLDQTHM VERSECINKF ASVFGTMPLK VVEHRADPVL YKDDFPEKLK SFPNIGSL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Grade:

Crystallography grade

Target Details

Target: EXT2

Alternative Name: EXT2 (EXT2 Products)

Background:

Exostosin-2 (EC 2.4.1.224) (Exostosin glycosyltransferase 2) (Glucuronosyl-N-acetylglucosaminyl-proteoglycan 4-alpha-N-acetylglucosaminyltransferase) (Heparan sulfate co-polymerase subunit EXT1) (Multiple exostoses protein 2),FUNCTION: Glycosyltransferase forming with EXT1 the heterodimeric heparan sulfate polymerase which catalyzes the elongation of the heparan sulfate glycan backbone (PubMed:22660413, PubMed:36402845, PubMed:36593275). Glycan backbone extension consists in the alternating transfer of (1->4)-beta-D-GlcA and (1->4)-alpha-D-GlcNAc residues from their respective UDP-sugar donors. Both EXT1 and EXT2 are required for the full activity of the polymerase since EXT1 bears the N-acetylglucosaminyl-proteoglycan 4-beta-glucuronosyltransferase activity within the complex while EXT2 carries the glucuronosyl-N-acetylglucosaminyl-proteoglycan 4-alpha-N-acetylglucosaminyltransferase activity (PubMed:36402845, PubMed:36593275). Heparan sulfate proteoglycans are ubiquitous components of the extracellular matrix and play an important role in tissue homeostasis and signaling (PubMed:22660413, PubMed:19344451). (ECO:0000269|PubMed:19344451, ECO:0000269|PubMed:36593275).

Molecular Weight:

82.3 kDa

UniProt:

Q93063

Pathways:

Glycosaminoglycan Metabolic Process

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request,
	please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)