

Datasheet for ABIN3117319

BSCL2 Protein (AA 1-398) (Strep Tag)



_				
()	ve.	rv/	101	Λ

Quantity:	250 μg
Target:	BSCL2
Protein Characteristics:	AA 1-398
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This BSCL2 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details	
Brand:	AliCE®
Sequence:	MVNDPPVPAL LWAQEVGQVL AGRARRLLLQ FGVLFCTILL LLWVSVFLYG SFYYSYMPTV
	SHLSPVHFYY RTDCDSSTTS LCSFPVANVS LTKGGRDRVL MYGQPYRVTL ELELPESPVN
	QDLGMFLVTI SCYTRGGRII STSSRSVMLH YRSDLLQMLD TLVFSSLLLF GFAEQKQLLE
	VELYADYREN SYVPTTGAII EIHSKRIQLY GAYLRIHAHF TGLRYLLYNF PMTCAFIGVA
	SNFTFLSVIV LFSYMQWVWG GIWPRHRFSL QVNIRKRDNS RKEVQRRISA HQPGPEGQEE
	STPQSDVTED GESPEDPSGT EGQLSEEEKP DQQPLSGEEE LEPEASDGSG SWEDAALLTE
	ANLPAPAS ASAPVLETLG SSEPAGGALR QRPTCSSS
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	BSCL2

Target Details

Alternative Name:	BSCL2 (BSCL2 Products)	
Background:	Seipin (Bernardinelli-Seip congenital lipodystrophy type 2 protein),FUNCTION: Plays a crucial	
	role in the formation of lipid droplets (LDs) which are storage organelles at the center of lipid	
	and energy homeostasis (PubMed:19278620, PubMed:21533227, PubMed:31708432,	
	PubMed:30293840). In association with LDAF1, defines the sites of LD formation in the ER	
	(PubMed:31708432). Also required for growth and maturation of small nascent LDs into large	
	mature LDs (PubMed:27564575). Mediates the formation and/or stabilization of endoplasmic	
	reticulum-lipid droplets (ER-LD) contacts, facilitating protein and lipid delivery from the ER into	
	growing LDs (PubMed:31178403, PubMed:27879284). Regulates the maturation of ZFYVE1-	
	positive nascent LDs and the function of the RAB18-ZFYVE1 complex in mediating the	
	formation of ER-LD contacts (PubMed:30970241). Binds anionic phospholipids including	
	phosphatidic acid (PubMed:30293840). Plays an important role in the differentiation and	
	development of adipocytes (By similarity). {ECO:0000250 UniProtKB:Q9Z2E9,	
	ECO:0000269 PubMed:19278620, ECO:0000269 PubMed:21533227,	
	ECO:0000269 PubMed:27564575, ECO:0000269 PubMed:27879284,	
	ECO:0000269 PubMed:30293840, ECO:0000269 PubMed:30970241,	
	ECO:0000269 PubMed:31178403, ECO:0000269 PubMed:31708432}.	
Molecular Weight:	44.4 kDa	
UniProt:	Q96G97	
Application Details		
Application Notes:		
• •	In addition to the applications listed above we expect the protein to work for functional studies	
	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Comment:	as well. As the protein has not been tested for functional studies yet we cannot offer a	
Comment:	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from	
Comment:	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from	
Comment:	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce	
Comment:	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational	
Comment:	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.	
Comment:	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for	
Comment:	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional	
Comment:	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the	

Application Details

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months