antibodies -online.com





SLC46A1 Protein (AA 1-459) (rho-1D4 tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	SLC46A1
Protein Characteristics:	AA 1-459
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC46A1 protein is labelled with rho-1D4 tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys)

Product Details

Sequence:

MEGSASPPEK PRARPAAAVL CRGPVEPLVF LANFALVLQG PLTTQYLWHR FSADLGYNGT RQRGGCSNRS ADPTMQEVET LTSHWTLYMN VGGFLVGLFS STLLGAWSDS VGRRPLLVLA SLGLLLQALV SVFVVQLQLH VGYFVLGRIL CALLGDFGGL LAASFASVAD VSSSRSRTFR MALLEASIGV AGMLASLLGG HWLRAQGYAN PFWLALALLI AMTLYAAFCF GETLKEPKST RLFTFRHHRS IVQLYVAPAP EKSRKHLALY SLAIFVVITV HFGAQDILTL YELSTPLCWD SKLIGYGSAA QHLPYLTSLL ALKLLQYCLA DAWVAEIGLA FNILGMVVFA FATITPLMFT GYGLLFLSLV ITPVIRAKLS KLVRETEQGA LFSAVACVNS LAMLTASGIF NSLYPATLNF MKGFPFLLGA GLLLIPAVLI GMLEKADPHL EFQQFPQSP

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human SLC46A1 Protein (raised in Insect Cells) purified by multi-step, protein-specific

process to ensure crystallization grade.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin-free.

Grade: Crystallography grade

Target Details

SLC46A1
SLC46A1 (SLC46A1 Products)
Has been shown to act both as an intestinal proton-coupled high-affinity folate transporter and
as an intestinal heme transporter which mediates heme uptake from the gut lumen into
duodenal epithelial cells. The iron is then released from heme and may be transported into the
bloodstream. Dietary heme iron is an important nutritional source of iron. Shows a higher
affinity for folate than heme. {ECO:0000269 PubMed:17129779,
ECO:0000269 PubMed:17156779, ECO:0000269 PubMed:17446347,
ECO:0000269 PubMed:17475902}.
50.9 kDa Including tag.
Q96NT5
Transition Metal Ion Homeostasis, Dicarboxylic Acid Transport
In addition to the applications listed above we expect the protein to work for functional studies
as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
though.
In cases in which it is highly likely that the recombinant protein with the default tag will be
insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
increase solubility. We will discuss all possible options with you in detail to assure that you
receive your protein of interest.
For Research Use only
Liquid
100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Avoid repeated freeze-thaw cycles.
-80 °C
Store at -80°C.



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process