

Datasheet for ABIN3117517
SLC38A2 Protein (AA 1-506) (Strep Tag)[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	SLC38A2
Protein Characteristics:	AA 1-506
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC38A2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:	MKKAEMGRFS ISPDEDSSSY SSNSDFNYSY PTKQAALKSH YADVDPENQN FLLESNLGKK KYETEFHPGT TSFGMSVFNL SNAIVGSGIL GLSYAMANTG IALFIILLTF VSIFSLYSVH LLLKTANEGG SLLYEQLGYK AFGLVGKLAA SGSITMQNIG AMSSYLFIVK YELPLVIQAL TNIEDKTGLW YLNGNYLVLL VSLVVILPLS LFRNLGYLGY TSGLSLLCMV FFLIVICKK FQVPCPVEAA LIINETINTT LTQPTALVPA LSHNVTENDS CRPHYFIFNS QTVYAVPILI FSFVCHPAVL PIYEELKDRS RRRMMNVSKI SFFAMFLMYL LAALFGYLT F YEHVESELLH TYSSILGTDI LLLIVRLAVL MAVTLTVPVV IFPIRSSVTH LLCASKDFSW WRHSLITVSI LAFTNLLVIF VPTIRDIFGF IGASAASMLI FILPSAFYIK LVKKEPMKSV QKIGALFFLL SGVLVMTGSM ALIVLDWVHN APGGGH
-----------	--

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and

Product Details

Western blot.

Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	SLC38A2
Alternative Name:	SLC38A2 (SLC38A2 Products)
Background:	<p>Sodium-coupled neutral amino acid symporter 2 (Amino acid transporter A2) (Protein 40-9-1) (Solute carrier family 38 member 2) (System A amino acid transporter 2) (System A transporter 1) (System N amino acid transporter 2),FUNCTION: Symporter that cotransports neutral amino acids and sodium ions from the extracellular to the intracellular side of the cell membrane (PubMed:10930503, PubMed:15922329, PubMed:16621798, PubMed:15774260). The transport is pH -sensitive, Li(+)-intolerant, electrogenic, driven by the Na(+) electrochemical gradient and cotransports of neutral amino acids and sodium ions with a stoichiometry of 1:1. May function in the transport of amino acids at the blood-brain barrier (PubMed:10930503, PubMed:15774260). May function in the transport of amino acids in the supply of maternal nutrients to the fetus through the placenta (By similarity). Maintains a key metabolic glutamine/glutamate balance underpinning retrograde signaling by dendritic release of the neurotransmitter glutamate (By similarity). Transports L-proline in differentiating osteoblasts for the efficient synthesis of proline-enriched proteins and provides proline essential for osteoblast differentiation and bone formation during bone development (By similarity). {ECO:0000250 UniProtKB:Q8CFE6, ECO:0000250 UniProtKB:Q9JHE5, ECO:0000269 PubMed:10930503, ECO:0000269 PubMed:15774260, ECO:0000269 PubMed:15922329, ECO:0000269 PubMed:16621798}.</p>
Molecular Weight:	56.0 kDa
UniProt:	Q96QD8
Pathways:	Dicarboxylic Acid Transport

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a
--------------------	--

Application Details

	guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process