

Datasheet for ABIN3118489

SLC7A10 Protein (AA 1-523) (Strep Tag)**1** Image[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	SLC7A10
Protein Characteristics:	AA 1-523
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC7A10 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Sequence: MAGHTQQPSG RGNPRPAPSP SPVPGTVPGA SERVALKKEI GLLSACTIII GNIIGSGIFI
SPKGVLEHSG SVGLALFVWV LGGGV TALGS LCYAELGVAI PKSGGDYAYV TEIFGGLAGF
LLLWSAVLIM YPTSLAVISM TFSNYVLQPV FPNICIPPTTA SRVLSMACLM LLTWVNSSSV
RWATRIQDMF TGGKLLALSL IIGVGLLQIF QGHFEELRPS NAFAFWMTPS VGHLALAFLQ
GSFAFSGWNF LNYVTEEMVD ARKNLPRAIF ISIPLVTFVY TFTNIAYFTA MSPQELLSSN
AVAVTFGEKL LGYFSWVMPV SVALSTFGGI NGYLFTYSRL CFSGAREGHL PSLLAMIHVR
HCTPIPALLV CCGATAVIML VGDTYTLINY VSFINYLCYG VTILGLLLLR WRRPALHRPI
KVNLLIPVAY LVFWAFLLVF SFISEPMVCG VGVIIITGV PIFFLGVFWR SKPKCVHRLT
ESMTHWGQEL CFVVYPQDAP EEEENGPCPP SLLPATDKPS KPQ

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and

Product Details

Western blot.

Purity: >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Grade: Crystallography grade

Target Details

Target: SLC7A10

Alternative Name: SLC7A10 ([SLC7A10 Products](#))

Background: Asc-type amino acid transporter 1 (Asc-1) (Solute carrier family 7 member 10),FUNCTION: Associates with SLC3A2/4F2hc to form a functional heterodimeric complex that translocates small neutral L- and D-amino acids across the plasma membrane. Preferentially mediates exchange transport, but can also operate via facilitated diffusion (By similarity) (PubMed:10863037). Acts as a major transporter for glycine, L- and D-serine in the central nervous system. At the spinal cord and brainstem regulates glycine metabolism and glycinergic inhibitory neurotransmission by providing for glycine de novo synthesis from L-serine and glycine recycling from astrocytes to glycinergic motor neurons (By similarity). At Schaffer collateral-CA1 synapses mediates D-serine and glycine release that modulates post-synaptic activation of NMDA receptors and excitatory glutamatergic transmission (By similarity). May regulate D-serine release from mesenchymal progenitors located in developing subcutaneous adipose tissue, favoring white adipocyte over thermogenic beige adipocyte lineage commitment (By similarity). {ECO:0000250|UniProtKB:P63115, ECO:0000250|UniProtKB:P63116, ECO:0000269|PubMed:10863037}.

Molecular Weight: 56.8 kDa

UniProt: [Q9NS82](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational

Application Details

modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process