
# antibodies .- online.com





# ATP8A2 Protein (AA 1-1148) (rho-1D4 tag)





## Go to Product page

## Overview

Quantity:	1 mg
Target:	ATP8A2
Protein Characteristics:	AA 1-1148
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATP8A2 protein is labelled with rho-1D4 tag.
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)

## **Product Details**

Sequence:

MSRATSVGDQ LEAPARTIYL NQPHLNKFRD NQISTAKYSV LTFLPRFLYE QIRRAANAFF
LFIALLQQIP DVSPTGRYTT LVPLIIILTI AGIKEIVEDF KRHKADNAVN KKKTIVLRNG
MWHTIMWKEV AVGDIVKVVN GQYLPADVVL LSSSEPQAMC YVETANLDGE TNLKIRQGLS
HTADMQTREV LMKLSGTIEC EGPNRHLYDF TGNLNLDGKS LVALGPDQIL LRGTQLRNTQ
WVFGIVVYTG HDTKLMQNST KAPLKRSNVE KVTNVQILVL FGILLVMALV SSAGALYWNR
SHGEKNWYIK KMDTTSDNFG YNLLTFIILY NNLIPISLLV TLEVVKYTQA LFINWDTDMY
YIGNDTPAMA RTSNLNEELG QVKYLFSDKT GTLTCNIMNF KKCSIAGVTY GHFPELAREP
SSDDFCRMPP PCSDSCDFDD PRLLKNIEDR HPTAPCIQEF LTLLAVCHTV VPEKDGDNII
YQASSPDEAA LVKGAKKLGF VFTARTPFSV IIEAMGQEQT FGILNVLEFS SDRKRMSVIV
RTPSGRLRLY CKGADNVIFE RLSKDSKYME ETLCHLEYFA TEGLRTLCVA YADLSENEYE
EWLKVYQEAS TILKDRAQRL EECYEIIEKN LLLLGATAIE DRLQAGVPET IATLLKAEIK
IWVLTGDKQE TAINIGYSCR LVSQNMALIL LKEDSLDATR AAITQHCTDL GNLLGKENDV

ALIIDGHTLK YALSFEVRRS FLDLALSCKA VICCRVSPLQ KSEIVDVVKK RVKAITLAIG
DGANDVGMIQ TAHVGVGISG NEGMQATNNS DYAIAQFSYL EKLLLVHGAW SYNRVTKCIL
YCFYKNVVLY IIELWFAFVN GFSGQILFER WCIGLYNVIF TALPPFTLGI FERSCTQESM
LRFPQLYKIT QNGEGFNTKV FWGHCINALV HSLILFWFPM KALEHDTVLT SGHATDYLFV
GNIVYTYVVV TVCLKAGLET TAWTKFSHLA VWGSMLTWLV FFGIYSTIWP TIPIAPDMRG
QATMVLSSAH FWLGLFLVPT ACLIEDVAWR AAKHTCKKTL LEEVQELETK SRVLGKAVLR
DSNGKRLNER DRLIKRLGRK TPPTLFRGSS LQQGVPHGYA FSQEEHGAVS QEEVIRAYDT
TKKKSRKK

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human ATP8A2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

### Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.

- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin-free.

Grade: Crystallography grade

# **Target Details**

Target:	ATP8A2
Alternative Name:	ATP8A2 (ATP8A2 Products)
Background:	Catalytic component of a P4-ATPase flippase complex which catalyzes the hydrolysis of ATP coupled to the transport of aminophospholipids from the outer to the inner leaflet of various membranes and ensures the maintenance of asymmetric distribution of phospholipids.

membranes and ensures the maintenance of asymmetric distribution of phospholipids.

Phospholipid translocation seems also to be implicated in vesicle formation and in uptake of lipid signaling molecules. Reconstituted to liposomes, the ATP8A2:TMEM30A flippase complex predomiminantly transports phosphatidylserine (PS) and to a lesser extent phosphatidylethanolamine (PE). Proposed to function in the generation and maintenance of phospholipid asymmetry in photoreceptor disk membranes and neuronal axon membranes. May be involved in vesicle trafficking in neuronal cells. Involved in regulation of neurite outgrowth, acting in synergy with TMEM30A. Required for normal visual and auditory function, involved in photoreceptor and inner ear spiral ganglion cell survival.

Molecular Weight: 130.4 kDa Including tag.

# Application Details

UniProt:

Application Notes: In addition to the app


Q9NTI2

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

# **Application Details**

Images

Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process