antibodies -online.com





PKD2L1 Protein (AA 1-805) (Strep Tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	PKD2L1
Protein Characteristics:	AA 1-805
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This PKD2L1 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:

MNAVGSPEGQ ELQKLGSGAW DNPAYSGPPS PHGTLRVCTI SSTGPLQPQP KKPEDEPQET

AYRTQVSSCC LHICQGIRGL WGTTLTENTA ENRELYIKTT LRELLVYIVF LVDICLLTYG

MTSSSAYYYT KVMSELFLHT PSDTGVSFQA ISSMADFWDF AQGPLLDSLY WTKWYNNQSL

GHGSHSFIYY ENMLLGVPRL RQLKVRNDSC VVHEDFREDI LSCYDVYSPD KEEQLPFGPF

NGTAWTYHSQ DELGGFSHWG RLTSYSGGGY YLDLPGSRQG SAEALRALQE GLWLDRGTRV

VFIDFSVYNA NINLFCVLRL VVEFPATGGA IPSWQIRTVK LIRYVSNWDF FIVGCEVIFC

VFIFYYVVEE ILELHIHRLR YLSSIWNILD LVVILLSIVA VGFHIFRTLE VNRLMGKLLQ QPNTYADFEF

LAFWQTQYNN MNAVNLFFAW IKIFKYISFN KTMTQLSSTL ARCAKDILGF AVMFFIVFFA

YAQLGYLLFG TQVENFSTFI KCIFTQFRII LGDFDYNAID NANRILGPAY FVTYVFFVFF VLLNMFLAII

NDTYSEVKEE LAGQKDELQL SDLLKQGYNK TLLRLRLRKE RVSDVQKVLQ GGEQEIQFED

FTNTLRELGH AEHEITELTA TFTKFDRDGN RILDEKEQEK MRQDLEEERV ALNTEIEKLG

RSIVSSPQGK SGPEAARAGG WVSGEEFYML TRRVLQLETV LEGVVSQIDA VGSKLKMLER

KGWLAPSPGV KEQAIWKHPQ PAPAVTPDPW GVQGGQESEV PYKREEEALE ERRLSRGEIP TLORS

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Product Details

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Grade:

Crystallography grade

Target Details

Target:

PKD2L1

Alternative Name:

PKD2L1 (PKD2L1 Products)

Background:

Polycystin-2-like protein 1 (Polycystin-2L1) (Polycystic kidney disease 2-like 1 protein) (Polycystin-2 homolog) (Polycystin-L) (Polycystin-L1), FUNCTION: Pore-forming subunit of a heterotetrameric, non-selective cation channel that is permeable to Ca(2+) (PubMed:10517637, PubMed:11959145, PubMed:25820328, PubMed:27754867, PubMed:29425510, PubMed:23212381, PubMed:30004384). Pore-forming subunit of a calcium-permeant ion channel formed by PKD1L2 and PKD1L1 in primary cilia, where it controls cilium calcium concentration, but does not affect cytoplasmic calcium concentration (PubMed:24336289). The channel formed by PKD1L2 and PKD1L1 in primary cilia regulates sonic hedgehog/SHH signaling and GLI2 transcription (PubMed:24336289). Pore-forming subunit of a channel formed by PKD1L2 and PKD1L3 that contributes to sour taste perception in gustatory cells (PubMed:19812697). The heteromeric channel formed by PKD1L2 and PKD1L3 is activated by low pH, but opens only when the extracellular pH rises again (PubMed:23212381). May play a role in the perception of carbonation taste (By similarity). May play a role in the sensory perception of water, via a mechanism that activates the channel in response to dilution of salivary bicarbonate and changes in salivary pH (By similarity). {ECO:0000250|UniProtKB:A2A259, ECO:0000269|PubMed:10517637, ECO:0000269|PubMed:11959145, ECO:0000269|PubMed:19812697,

ECO:0000269|PubMed:23212381, ECO:0000269|PubMed:24336289,

ECO:0000269|PubMed:25820328, ECO:0000269|PubMed:27754867,

ECO:0000269|PubMed:29425510, ECO:0000269|PubMed:30004384}.

Storage Comment:

Expiry Date:

Store at -80°C.

Unlimited (if stored properly)

Target Details	
Molecular Weight:	92.0 kDa
UniProt:	Q9P0L9
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process