

# Datasheet for ABIN3118907 **ASIC3 Protein (AA 1-531) (Strep Tag)**



### Go to Product page

_				
( )	VE	r\/		Λ/
( )	V C	I V	1	v v

Quantity:	250 μg
Target:	ASIC3 (ACCN3)
Protein Characteristics:	AA 1-531
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ASIC3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details	. Details	
Brand:	AliCE®	
Sequence:	MKPTSGPEEA RRPASDIRVF ASNCSMHGLG HVFGPGSLSL RRGMWAAAVV LSVATFLYQV	
	AERVRYYREF HHQTALDERE SHRLIFPAVT LCNINPLRRS RLTPNDLHWA GSALLGLDPA	
	EHAAFLRALG RPPAPPGFMP SPTFDMAQLY ARAGHSLDDM LLDCRFRGQP CGPENFTTIF	
	TRMGKCYTFN SGADGAELLT TTRGGMGNGL DIMLDVQQEE YLPVWRDNEE TPFEVGIRVQ	
	IHSQEEPPII DQLGLGVSPG YQTFVSCQQQ QLSFLPPPWG DCSSASLNPN YEPEPSDPLG	
	SPSPSPPY TLMGCRLACE TRYVARKCGC RMVYMPGDVP VCSPQQYKNC AHPAIDAMLR	
	KDSCACPNPC ASTRYAKELS MVRIPSRAAA RFLARKLNRS EAYIAENVLA LDIFFEALNY	
	ETVEQKKAYE MSELLGDIGG QMGLFIGASL LTILEILDYL CEVFRDKVLG YFWNRQHSQR	
	HSSTNLLQEG LGSHRTQVPH LSLGPRPPTP PCAVTKTLSA SHRTCYLVTQ L	
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression	
	system, a different complexity of the protein could make another tag necessary. In case you	

## have a special request, please contact us.

### Characteristics:

# Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

## Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

# Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

# **Target Details**

Target:	ASIC3 (ACCN3)
Alternative Name:	ASIC3 (ACCN3 Products)
Background:	Acid-sensing ion channel 3 (ASIC3) (hASIC3) (Amiloride-sensitive cation channel 3) (Neuronal amiloride-sensitive cation channel 3) (Testis sodium channel 1) (hTNaC1),FUNCTION: Cation channel with high affinity for sodium, which is gated by extracellular protons and inhibited by the diuretic amiloride. Generates a biphasic current with a fast inactivating and a slow sustained phase. In sensory neurons is proposed to mediate the pain induced by acidosis that occurs in ischemic, damaged or inflamed tissue. May be involved in hyperalgesia. May play a role in mechanoreception. Heteromeric channel assembly seems to modulate channel properties. {ECO:0000269 PubMed:9744806, ECO:0000269 PubMed:9886053}.
Molecular Weight:	58.9 kDa
UniProt:	Q9UHC3
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
	During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.

# Handling

	Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	