antibodies .- online.com





AMFR Protein (AA 1-643) (rho-1D4 tag)



Image



Overview

Quantity:	1 mg
Target:	AMFR
Protein Characteristics:	AA 1-643
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This AMFR protein is labelled with rho-1D4 tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

MPLLFLERFP WPSLRTYTGL SGLALLGTII SAYRALSQPE AGPGEPDQLT ASLQPEPPAP
ARPSAGGPRA RDVAQYLLSD SLFVWVLVNT ACCVLMLVAK LIQCIVFGPL RVSERQHLKD
KFWNFIFYKF IFIFGVLNVQ TVEEVVMWCL WFAGLVFLHL MVQLCKDRFE YLSFSPTTPM
SSHGRVLSLL VAMLLSCCGL AAVCSITGYT HGMHTLAFMA AESLLVTVRT AHVILRYVIH
LWDLNHEGTW EGKGTYVYYT DFVMELTLLS LDLMHHIHML LFGNIWLSMA SLVIFMQLRY
LFHEVQRRIR RHKNYLRVVG NMEARFAVAT PEELAVNNDD CAICWDSMQA ARKLPCGHLF
HNSCLRSWLE QDTSCPTCRM SLNIADNNRV REEHQGENLD ENLVPVAAAE GRPRLNQHNH
FFHFDGSRIA SWLPSFSVEV MHTTNILGIT QASNSQLNAM AHQIQEMFPQ VPYHLVLQDL
QLTRSVEITT DNILEGRIQV PFPTQRSDSI RPALNSPVER PSSDQEEGET SAQTERVPLD
LSPRLEETLD FGEVEVEPSE VEDFEARGSR FSKSADERQR MLVQRKDELL QQARKRFLNK
SSEDDAASES FLPSEGASSD PVTLRRRMLA AAAERRLQKQ QTS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human AMFR Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin-free.

Product Details	
Grade:	Crystallography grade
Target Details	
Target:	AMFR
Alternative Name:	AMFR (AMFR Products)
Background:	E3 ubiquitin-protein ligase that mediates the polyubiquitination of a number of proteins such as CD3D, CYP3A4, CFTR and APOB for proteasomal degradation. Component of a VCP/p97-AMFR/gp78 complex that participates in the final step of endoplasmic reticulum-associated degradation (ERAD). The VCP/p97-AMFR/gp78 complex is involved in the sterol-accelerated ERAD degradation of HMGCR through binding to the HMGCR-INSIG complex at the ER membrane and initiating ubiquitination of HMGCR. The ubiquitinated HMGCR is then released from the ER by the complex into the cytosol for subsequent destruction. Also acts as a scaffold protein to assemble a complex that couples ubiquitination, retranslocation and deglycosylation. Mediates tumor invasion and metastasis as a receptor for the GPI/autocrine motility factor. {ECO:0000269 PubMed:10456327, ECO:0000269 PubMed:11724934, ECO:0000269 PubMed:16168377, ECO:0000269 PubMed:19103148}.
Molecular Weight:	74.2 kDa Including tag.
UniProt:	Q9UKV5
Pathways:	ER-Nucleus Signaling
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Handling

Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process