

Datasheet for ABIN3119181 SLC12A4 Protein (AA 1-1085) (Strep Tag)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	250 μg
Target:	SLC12A4
Protein Characteristics:	AA 1-1085
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC12A4 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Brand:	AliCE®
Sequence:	MPHFTVVPVD GPRRGDYDNL EGLSWVDYGE RAELDDSDGH GNHRESSPFL SPLEASRGID
	YYDRNLALFE EELDIRPKVS SLLGKLVSYT NLTQGAKEHE EAESGEGTRR RAAEAPSMGT
	LMGVYLPCLQ NIFGVILFLR LTWMVGTAGV LQALLIVLIC CCCTLLTAIS MSAIATNGVV
	PAGGSYFMIS RSLGPEFGGA VGLCFYLGTT FAAAMYILGA IEILLTYIAP PAAIFYPSGA
	HDTSNATLNN MRVYGTIFLT FMTLVVFVGV KYVNKFASLF LACVIISILS IYAGGIKSIF
	DPPVFPVCML GNRTLSRDQF DICAKTAVVD NETVATQLWS FFCHSPNLTT DSCDPYFMLN
	NVTEIPGIPG AAAGVLQENL WSAYLEKGDI VEKHGLPSAD APSLKESLPL YVVADIATSF
	TVLVGIFFPS VTGIMAGSNR SGDLRDAQKS IPVGTILAII TTSLVYFSSV VLFGACIEGV
	VLRDKYGDGV SRNLVVGTLA WPSPWVIVIG SFFSTCGAGL QSLTGAPRLL QAIAKDNIIP
	FLRVFGHGKV NGEPTWALLL TALIAELGIL IASLDMVAPI LSMFFLMCYL FVNLACAVQT
	LLRTPNWRPR FKYYHWALSF LGMSLCLALM FVSSWYYALV AMLIAGMIYK YIEYQGAEKE

WGDGIRGLSL SAARYALLRL EEGPPHTKNW RPQLLVLLKL DEDLHVKYPR LLTFASQLKA
GKGLTIVGSV IQGSFLESYG EAQAAEQTIK NMMEIEKVKG FCQVVVASKV REGLAHLIQS
CGLGGMRHNS VVLGWPYGWR QSEDPRAWKT FIDTVRCTTA AHLALLVPKN IAFYPSNHER
YLEGHIDVWW IVHDGGMLML LPFLLRQHKV WRKCRMRIFT VAQMDDNSIQ MKKDLAVFLY
HLRLEAEVEV VEMHNSDISA YTYERTLMME QRSQMLRQMR LTKTEREREA QLVKDRHSAL
RLESLYSDEE DESAVGADKI QMTWTRDKYM TETWDPSHAP DNFRELVHIK PDQSNVRRMH
TAVKLNEVIV TRSHDARLVL LNMPGPPRNS EGDENYMEFL EVLTEGLERV LLVRGGGREV ITIYS

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

• The concentration of our recombinant proteins is measured using the absorbance at 280nm.

• The protein's absorbance will be measured against its specific reference buffer. • We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein. Purification: One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®). Purity: > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC). Grade: custom-made **Target Details** Target: SLC12A4 Alternative Name: SLC12A4 (SLC12A4 Products) Background: Solute carrier family 12 member 4 (Electroneutral potassium-chloride cotransporter 1) (Erythroid K-Cl cotransporter 1) (hKCC1), FUNCTION: Mediates electroneutral potassiumchloride cotransport when activated by cell swelling. May contribute to cell volume homeostasis in single cells (PubMed:10913127, PubMed:34031912). May be involved in the regulation of basolateral CI(-) exit in NaCl absorbing epithelia (By similarity). {ECO:0000250|UniProtKB:Q9JIS8, ECO:0000269|PubMed:10913127, ECO:0000269|PubMed:34031912}., FUNCTION: [Isoform 4]: No transporter activity. {ECO:0000269|PubMed:11551954}. Molecular Weight: 120.7 kDa UniProt: Q9UP95 **Application Details** Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the

Application Details

	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
	Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months