



[Go to Product page](#)

Datasheet for ABIN3119394  
**ATP6V0A2 Protein (AA 1-856) (Strep Tag)**

### Overview

|                               |   |
|-------------------------------|---|
| Quantity:                     | 1 mg  |
| Target:                       | ATP6V0A2  |
| Protein Characteristics:      | AA 1-856  |
| Origin:                       | Human   |
| Source:                       | Tobacco ( <i>Nicotiana tabacum</i> )              |
| Protein Type:                 | Recombinant                                       |
| Purification tag / Conjugate: | This ATP6V0A2 protein is labelled with Strep Tag. |
| Application:                  | ELISA, Western Blotting (WB), SDS-PAGE (SDS)      |

### Product Details

Sequence: MGSLFRSETM CLAQLFLQSG TAYECLSALG EKGLVQFRDL NQNVSSFQRK FVGEVKRCEE  
LERILVYLVQ EINRADIPLP EGEASPPAPP LKQVLEMQEQ LQKLEVELRE VTKNKEKLRK  
NLELIEYTH MLRVTKTFVK RNVEFEPTYE EFPSLESDSL LDYSCMQRLG AKLGFVSGLI  
NQGKVEAFEK MLWRVCKGYT IVSYAELDES LEDPETGEVI KWYVFLISFW GEQIGHKVKK  
ICDCYHCHVY PYPNTAEERR IEQGLNTRI QDLYTVLHKT EDYLRQVLCK AAESVYSRVI  
QVKKMKAIYH MLNMCSFDVT NKCLIAEVCW PEADLQDLRR ALEEGSRESG ATIPSFMNII  
PTKETPPTRI RTNKFTEGFQ NIVDAYGVGS YREVPALFT IITFPFLFAV MFGDFGHGFV  
MFLFALLLVL NENHPRLNQS QEIMRMFFNG RYILLMLGLF SVYTGLIYND CFSKSVNLFG  
SGWNVSAMYS SSHPPAEHKK MVLWNDSSVR HNSILQLDPS IPGVFRGPYP LGIDPIWNLA  
TNRLTFLNSF KMKMSVILGI IHMTFGVILG IFNHLHFRKK FNIYLVSIPE LLFMLCIFGY  
LIFMIFYKWL VFAETSVA PSILIEFINM FLFPASKTSG LYTGQEYVQR VLLVVTALSV  
PVLFLGKPLF LLWLHNGRSC FGVNRSYTL IRKDSEEEVS LLGSQDIEEG NHQVEDGCRE

MACEEFNFG E ILMTQVIHSI EYCLGCISNT ASYLRLWALS LAHAQLSDVL WAMLMRVGLR  
VDTTYGVLLL LPVIALFAVL TIFILLIMEG LSAFLHAIRL HWVEFQNKFY VGAGTKFVPF  
SFSLLSSKFN NDDSV A

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

### Characteristics:

#### Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

## Product Details

---

|                  |  |
|------------------|--|
| Purification:    | Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALICE®): <ol style="list-style-type: none"><li>1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.</li><li>2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li></ol> |
| Purity:          | >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.   |
| Endotoxin Level: | Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)  |

## Target Details

---

|                   |   |
|-------------------|---|
| Target:           | ATP6V0A2  |
| Alternative Name: | ATP6V0A2 ( <a href="#">ATP6V0A2 Products</a> )  |
| Background:       | <p>V-type proton ATPase 116 kDa subunit a 2 (V-ATPase 116 kDa subunit a 2) (Lysosomal H(+)-transporting ATPase V0 subunit a 2) (TJ6) (Vacuolar proton translocating ATPase 116 kDa subunit a isoform 2),FUNCTION: Subunit of the V0 complex of vacuolar(H+)-ATPase (V-ATPase), a multisubunit enzyme composed of a peripheral complex (V1) that hydrolyzes ATP and a membrane integral complex (V0) that translocates protons (By similarity). V-ATPase is responsible for acidifying and maintaining the pH of intracellular compartments and in some cell types, is targeted to the plasma membrane, where it is responsible for acidifying the extracellular environment (By similarity). Essential component of the endosomal pH -sensing machinery (PubMed:16415858). May play a role in maintaining the Golgi functions, such as glycosylation maturation, by controlling the Golgi pH (PubMed:18157129). In aerobic conditions, involved in intracellular iron homeostasis, thus triggering the activity of Fe(2+) prolyl hydroxylase (PHD) enzymes, and leading to HIF1A hydroxylation and subsequent proteasomal degradation (PubMed:28296633). {ECO:0000250 UniProtKB:Q29466, ECO:0000250 UniProtKB:Q93050, ECO:0000269 PubMed:16415858, ECO:0000269 PubMed:18157129, ECO:0000269 PubMed:28296633}.</p> |
| Molecular Weight: | 98.1 kDa  |
| UniProt:          | <a href="#">Q9Y487</a>  |
| Pathways:         | <a href="#">Transition Metal Ion Homeostasis</a> , <a href="#">Proton Transport</a>   |

## Application Details

---

**Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

---

**Comment:** ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

---

**Restrictions:** For Research Use only

---

## Handling

---

**Format:** Liquid

---

**Buffer:** The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

---

**Handling Advice:** Avoid repeated freeze-thaw cycles.

---

**Storage:** -80 °C

---

**Storage Comment:** Store at -80°C.

---

**Expiry Date:** Unlimited (if stored properly)

---