antibodies .- online.com





MMP24 Protein (AA 156-581) (rho-1D4 tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	MMP24
Protein Characteristics:	AA 156-581
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MMP24 protein is labelled with rho-1D4 tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:

YALTGQKWRQ KHITYSIHNY TPKVGELDTR KAIRQAFDVW QKVTPLTFEE VPYHEIKSDR KEADIMIFFA SGFHGDSSPF DGEGGFLAHA YFPGPGIGGD THFDSDEPWT LGNANHDGND LFLVAVHELG HALGLEHSSD PSAIMAPFYQ YMETHNFKLP QDDLQGIQKI YGPPAEPLEP TRPLPTLPVR RIHSPSERKH ERQPRPPRPP LGDRPSTPGT KPNICDGNFN TVALFRGEMF VFKDRWFWRL RNNRVQEGYP MQIEQFWKGL PARIDAAYER ADGRFVFFKG DKYWVFKEVT VEPGYPHSLG ELGSCLPREG IDTALRWEPV GKTYFFKGER YWRYSEERRA TDPGYPKPIT VWKGIPQAPQ GAFISKEGYY TYFYKGRDYW KFDNQKLSVE PGYPRNILRD WMGCNQKEVE RRKERR

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human MMP24 Protein (raised in Insect Cells) purified by multi-step, protein-specific process

to ensure crystallization grade.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin-free.

Grade: Crystallography grade

Target Details

Target:	MMP24
Alternative Name:	MMP24 (MMP24 Products)
Background:	Metalloprotease that mediates cleavage of N-cadherin (CDH2) and acts as a regulator of neuro immune interactions and neural stem cell quiescence. Involved in cell-cell interactions between nociceptive neurites and mast cells, possibly by mediating cleavage of CDH2, thereby acting as a mediator of peripheral thermal nociception and inflammatory hyperalgesia. Key regulator of neural stem cells quiescence by mediating cleavage of CDH2, affecting CDH2-mediated anchorage of neural stem cells to ependymocytes in the adult subependymal zone, leading to modulate their quiescence. May play a role in axonal growth. Able to activate progelatinase A. May also be a proteoglycanase involved in degradation of proteoglycans, such as dermatan sulfate and chondroitin sulfate proteoglycans. Cleaves partially fibronectin, but not collagen type I, nor laminin (By similarity). {ECO:0000250}.
Molecular Weight:	50.7 kDa Including tag.
UniProt:	Q9Y5R2
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	increase solubility. We will discuss all possible options with you in detail to assure that you
Restrictions: Handling	increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
	increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Handling	increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. For Research Use only
Handling Format:	increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. For Research Use only Liquid
Handling Format: Buffer:	increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. For Research Use only Liquid 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Expiry Date:

Unlimited (if stored properly)

Images



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process